

Clinical Policy: Scanning Computerized Ophthalmic Diagnostic Imaging

Reference Number: CP.VP.14

Last Review Date: 08/2025

[Coding Implications](#)

[Revision Log](#)

See [Important Reminder](#) at the end of this policy for important regulatory and legal information.

Description

Scanning Computerized Ophthalmic Diagnostic Imaging (SCODI) is a non-invasive, non-contact imaging technique that produces high resolution, cross-sectional tomographic images of ocular structures and is used for the evaluation of anterior segment and posterior segment diseases. This policy describes the medical necessity indications for SCODI.

Policy/Criteria

- I. It is the policy of health plans affiliated with Centene Corporation[®] (Centene) and Envolve Vision, Inc.[®] (Envolve) that SCODI is **medically necessary** for the following indications:
 - A. Anterior SCODI, one of the following:
 1. Diagnosis of suspected glaucoma with one of the following:
 - a. An optic nerve or nerve fiber layer defect suggestive of glaucoma (enlarged cup-disc ratio, asymmetric cup-disc ratio, notching or narrowing of the neuroretinal rim, a disc hemorrhage, or suspicious alteration in the nerve fiber layer);
 - b. A visual field abnormality consistent with glaucoma;
 - c. An elevated intraocular pressure (IOP) greater than 21 mm Hg;
 2. Glaucoma evaluation/monitoring for any of the following conditions:
 - a. Glaucoma associated with anatomical lens anomaly;
 - b. Glaucoma resulting from pigment dispersion, pseudo exfoliation, angle closure or narrowing, and low tension associated pathology;
 - c. Glaucoma secondary to drug use;
 - d. Glaucoma secondary to hypersecretion, or associated with aqueous misdirection or episcleral venous pressure;
 3. Corneal ulcer of critical depth or with risk of perforation;
 4. Corneal edema, degeneration, or transplant rejection/failure/infection;
 5. Iris cyst, atrophy, degeneration, or neoplasm;
 6. Iridoschisis, anterior/posterior synechiae, goniosynechiae, iridodialysis, plateau iris syndrome, or angle closure;
 - B. Posterior optic nerve SCODI, one of the following:
 1. Malignant neoplasm of brain, cranial nerves, pituitary and pineal glands, or craniopharyngeal duct;
 2. Orbital cellulitis, myositis, cyst, edema or hemorrhage;
 3. Exophthalmos or displacement of globe;
 4. Orbital atrophy, deformity, enlargement, or exostosis;
 5. Enophthalmos;
 6. Diagnosis of suspected glaucoma, one of the following:

- a. An optic nerve or nerve fiber layer defect suggestive of glaucoma (enlarged cup-disc ratio, asymmetric cup-disc ratio, notching or narrowing of the neuroretinal rim, a disc hemorrhage, or suspicious alteration in the nerve fiber layer);
- b. A visual field abnormality consistent with glaucoma;
- c. An elevated IOP greater than 21 mm Hg;
7. Glaucoma evaluation/monitoring for any of the following conditions in mild to moderate stages:
 - a. Primary open angle glaucoma;
 - b. Glaucoma associated with anatomical lens anomaly;
 - c. Glaucoma resulting from pigment dispersion, pseudo exfoliation, angle closure or narrowing, and low tension associated pathology;
 - d. Glaucoma secondary to drug use;
 - e. Glaucoma secondary to hypersecretion, or associated with aqueous misdirection;
 - f. Glaucoma secondary to trauma or inflammation;
8. Optic nerve evaluation in any of the following conditions:
 - a. Papilledema, coloboma, drusen, pseudopapilledema, Foster-Kennedy syndrome, optic nerve sheath hemorrhage, or hypoplasia;
9. Visual pathway or optic chiasm neoplasm, inflammatory disorders or vascular disorders;
10. Visual field defects;
11. Ocular injury;
12. Diabetic eye disease;
13. Orbital cellulitis, myositis, cyst, edema and hemorrhage;
- C. Posterior retinal SCODI, and posterior retinal SCODI including OCT angiography:
 1. Choroidal neoplasm (benign or malignant);
 2. Ocular histoplasmosis duboisii;
 3. Diabetic retinopathy or diabetic eye disease;
 4. Hypertensive retinopathy;
 5. Orbital cellulitis, osteomyelitis, periostitis, tenonitis, granuloma, myositis, cyst, edema and hemorrhage;
 6. Exophthalmos or enophthalmos;
 7. Orbital atrophy, cyst, deformity, enlargement or exostosis;
 8. Enophthalmos;
 9. Staphyloma, or scleral ectasia;
 10. Focal chorioretinal inflammation;
 11. Macular or choroidal scarring, atrophy, degeneration, hole or drusen;
 12. Choroidal rupture or detachment;
 13. Degenerative myopia;
 14. Retinal detachment, edema, ischemia, or hemorrhage;
 15. Retinal pigment epithelium detachment;
 16. Vascular occlusion (central retinal artery, partial retinal artery, retinal artery branch, central retinal vein, tributary retinal vein), changes in vascular appearance, exudative retinopathy, retinal micro-aneurysms, retinal neovascularization, vasculitis, or telangiectasias;
 17. Baseline and annual evaluation of patients using chloroquine (CQ) and/or hydroxychloroquine (HCQ), both of the following:

- a. Requires Spectral Domain-Optical Coherence Tomography (SD-OCT);
- b. In the presence of systemic lupus erythematosus or rheumatoid arthritis.

II. It is the policy of health plans affiliated with Centene and Envolve that SCODI is not medically necessary for the following indications:

- A. Advanced glaucomatous damage;
- B. Screening for glaucoma.

Background

Optical coherence tomography (OCT) has advanced considerably since it was first applied to the eye. It is an extension of a technique called low-coherence interferometry, which was initially applied to ophthalmology for in vivo measurements of eye axial length. At the time of introduction, it was used to obtain in vivo optical cross sections of the anterior segment, as well as retinal diseases, such as macular detachment, macular hole, epiretinal membrane, macular edema, and idiopathic central serous chorioretinopathy. OCT cross sections were also used to evaluate the optic disc and retinal layers such as the retinal nerve fiber layer (RNFL). Scan patterns that enabled reproducible measurements were developed, and these eventually became incorporated into a commercial system, which had an axial resolution of ~10 μm .

The implementation of broadband light sources into OCT systems improved the axial resolution from ~10 μm to as high as 2 μm in tissue. Acquisition speed has improved considerably by detecting backscattering signals in the frequency domain, which means backscattered depth information at a given location can be collected without the movement of a reference mirror. Frequency information is acquired with a broad-bandwidth light source, charge-coupled device (CCD) camera, and a spectrometer or by sweeping a narrow-bandwidth source through a broad range of frequencies with a photodetector. The approach that incorporates a broadband light source is often referred to as spectral-domain (SD)-OCT, whereas the latter is termed swept-source (SS)-OCT. In both approaches, intensity profiles (A-scans) are obtained using a Fourier-transform of the detected frequencies, and this facilitates rapid A-scan collection. In addition to improved scanning speed, frequency-domain-OCT also offers the advantage of higher detection sensitivity—that is, it exhibits higher signal-to-noise, given a perfect reflection.

Posterior segment SCODI also permits high resolution assessment of the retinal and choroidal layers, the presence of thickening associated with retinal edema, and of macular thickness measurement. Vitreo-retinal and vitreo-papillary relationships are displayed permitting surgical planning and assessment.

Anterior segment SCODI is used in the evaluation and treatment planning of diseases affecting the cornea, iris, and other anterior chamber structures. The procedure also may be used to provide additional information during the planning and follow-up for corneal, iris, and cataract surgeries.

Clinical evidence has shown that long-term use of chloroquine (CQ) and/or hydroxychloroquine (HCQ) can lead to irreversible retinal toxicity. Therefore, these two medications are deemed high risk, and Optical Coherence Tomography (CPT 92134) may be indicated to provide a baseline prior to starting the medication and as an annual follow-up. Clinical evidence shows that the resolution of time-domain OCT instruments is not sufficient to detect early toxic retinal changes. Because of that, Spectral Domain-Optical Coherence Tomography (SD-OCT) is expected to be

used to detect retinal changes that are due to the use of CQ or HCQ. Eye care providers without SD-OCT equipment should refer beneficiaries to offices or centers that have SD-OCT available.

Optical coherence tomography angiography (OCTA) is a non-invasive imaging modality that provides high-quality images of the retinal and choroidal vascular structures. The basic working principle of OCTA is based on the detection of contrast created by the movement of erythrocytes on a stationary background. The algorithms evaluate the signal differences between repeating sections passing through the same location. The signal difference between two cross-sectional B-scan OCT images, taken consecutively from a single point on the retina, is calculated. Then, colored flow signals are superimposed on the B-scan OCT images, and three-dimensional OCTA images (OCTA cube) are created. The most significant limitation of OCTA is that, unlike conventional dye angiographies, it is not capable of detecting vascular leakage, which is an important sign of blood–retinal barrier breakdown.

Coding Implications

This clinical policy references Current Procedural Terminology (CPT®). CPT® is a registered trademark of the American Medical Association. All CPT codes and descriptions are copyrighted 2025, American Medical Association. All rights reserved. CPT codes and CPT descriptions are from the current manuals and those included herein are not intended to be all-inclusive and are included for informational purposes only. Codes referenced in this clinical policy are for informational purposes only. Inclusion or exclusion of any codes does not guarantee coverage. Providers should reference the most up-to-date sources of professional coding guidance prior to the submission of claims for reimbursement of covered services.

CPT® Codes	Description
92132	Computerized ophthalmic diagnostic imaging (e.g., optical coherence tomography [OCT]), anterior segment, with interpretation and report, unilateral and bilateral
92133	Computerized ophthalmic diagnostic imaging (e.g., optical coherence tomography [OCT]), posterior segment, with interpretation and report, unilateral and bilateral; optic nerve
92134	Computerized ophthalmic diagnostic imaging (e.g., optical coherence tomography [OCT]), posterior segment, with interpretation and report, unilateral and bilateral; retina
92137	Computerized ophthalmic diagnostic imaging (e.g., optical coherence tomography [OCT]), posterior segment, with interpretation and report, unilateral and bilateral; retina, including OCT angiography

ICD-10-CM Diagnosis Codes that Support Coverage Criteria

Medical indications for 92132 – SCODI, anterior segment	
ICD-10-CM Code	Description
C69.01	Malignant neoplasm of right conjunctiva
C69.02	Malignant neoplasm of right cornea
C69.11	Malignant neoplasm of right cornea
C69.12	Malignant neoplasm of left cornea

Medical indications for 92132 – SCODI, anterior segment	
ICD-10-CM Code	Description
C69.31	Malignant neoplasm of right choroid
C69.32	Malignant neoplasm of left choroid
C69.41	Malignant neoplasm of right ciliary body
C69.42	Malignant neoplasm of left ciliary body
C69.81	Malignant neoplasm of overlapping sites of right eye and adnexa
C69.82	Malignant neoplasm of overlapping sites of left eye and adnexa
D31.01	Benign neoplasm of right conjunctiva
D31.02	Benign neoplasm of left conjunctiva
D31.11	Benign neoplasm of right cornea
D31.12	Benign neoplasm of left cornea
D31.31	Benign neoplasm of right choroid
D31.32	Benign neoplasm of left choroid
D31.41	Benign neoplasm of right ciliary body
D31.42	Benign neoplasm of left ciliary body
H11.011	Amyloid pterygium of right eye
H11.012	Amyloid pterygium of left eye
H11.013	Amyloid pterygium of eye, bilateral
H11.021	Central pterygium of right eye
H11.022	Central pterygium of left eye
H11.023	Central pterygium of eye, bilateral
H11.031	Double pterygium of right eye
H11.032	Double pterygium of left eye
H11.033	Double pterygium of eye, bilateral
H11.041	Peripheral pterygium, stationary, right eye
H11.042	Peripheral pterygium, stationary, left eye
H11.043	Peripheral pterygium, stationary, bilateral
H11.051	Peripheral pterygium, progressive, right eye
H11.052	Peripheral pterygium, progressive, left eye
H11.053	Peripheral pterygium, progressive, bilateral
H11.061	Recurrent pterygium of right eye
H11.062	Recurrent pterygium of left eye
H11.063	Recurrent pterygium of eye, bilateral
H16.011	Central corneal ulcer right eye
H16.012	Central corneal ulcer left eye
H16.013	Central corneal ulcer bilateral
H16.021	Ring corneal ulcer right eye
H16.022	Ring corneal ulcer left eye
H16.023	Ring corneal ulcer bilateral
H16.031	Corneal ulcer with hypopyon, right eye
H16.032	Corneal ulcer with hypopyon, left eye
H16.033	Corneal ulcer with hypopyon, bilateral
H16.041	Marginal corneal ulcer right eye

Medical indications for 92132 – SCODI, anterior segment	
ICD-10-CM Code	Description
H16.042	Marginal corneal ulcer left eye
H16.043	Marginal corneal ulcer bilateral
H16.051	Mooren’s corneal ulcer, right eye
H16.052	Mooren’s corneal ulcer, left eye
H16.053	Mooren’s corneal ulcer, bilateral
H16.061	Mycotic corneal ulcer, right eye
H16.062	Mycotic corneal ulcer, left eye
H16.063	Mycotic corneal ulcer, bilateral
H16.071	Perforated corneal ulcer, right eye
H16.072	Perforated corneal ulcer, left eye
H16.073	Perforated corneal ulcer, bilateral
H17.01	Adherent leukoma, right eye
H17.02	Adherent leukoma, left eye
H17.03	Adherent leukoma, bilateral
H17.11	Central corneal opacity, right eye
H17.12	Central corneal opacity, left eye
H17.13	Central corneal opacity, bilateral
H18.11	Bullous keratopathy right eye
H18.12	Bullous keratopathy left eye
H18.13	Bullous keratopathy bilateral
H18.211	Corneal edema secondary to contact lens right eye
H18.212	Corneal edema secondary to contact lens left eye
H18.213	Corneal edema secondary to contact lens bilateral
H18.221	Idiopathic corneal edema right eye
H18.222	Idiopathic corneal edema left eye
H18.223	Idiopathic corneal edema bilateral
H18.231	Secondary corneal edema right eye
H18.232	Secondary corneal edema left eye
H18.233	Secondary corneal edema bilateral
H18.51	Endothelial corneal dystrophy
H18.711	Corneal ectasia, right eye
H18.712	Corneal ectasia, left eye
H18.713	Corneal ectasia, bilateral
H18.721	Corneal staphyloma, right eye
H18.722	Corneal staphyloma, left eye
H18.723	Corneal staphyloma, bilateral
H18.731	Descemetocoele, right eye
H18.732	Descemetocoele, left eye
H18.733	Descemetocoele, bilateral
H21.211	Degeneration of chamber angle, right eye
H21.212	Degeneration of chamber angle, left eye
H21.213	Degeneration of chamber angle, bilateral

Medical indications for 92132 – SCODI, anterior segment	
ICD-10-CM Code	Description
H21.221	Degeneration of ciliary body, right eye
H21.222	Degeneration of ciliary body, left eye
H21.223	Degeneration of ciliary body, bilateral
H21.231	Degeneration of iris (pigmentary), right eye
H21.232	Degeneration of iris (pigmentary), left eye
H21.233	Degeneration of iris (pigmentary), bilateral
H21.241	Degeneration of pupillary margin, right eye
H21.242	Degeneration of pupillary margin, left eye
H21.243	Degeneration of pupillary margin, bilateral
H21.251	Iridoschisis, right eye
H21.252	Iridoschisis, left eye
H21.253	Iridoschisis, bilateral
H21.261	Iris atrophy (essential) (progressive), right eye
H21.262	Iris atrophy (essential) (progressive), left eye
H21.263	Iris atrophy (essential) (progressive), bilateral
H21.271	Miotic pupillary cyst, right eye
H21.272	Miotic pupillary cyst, left eye
H21.273	Miotic pupillary cyst, bilateral
H21.301	Idiopathic cysts of iris, ciliary body or anterior chamber, right eye
H21.302	Idiopathic cysts of iris, ciliary body or anterior chamber, left eye
H21.303	Idiopathic cysts of iris, ciliary body or anterior chamber, bilateral
H21.311	Exudative cysts of iris or anterior chamber, right eye
H21.312	Exudative cysts of iris or anterior chamber, left eye
H21.313	Exudative cysts of iris or anterior chamber, bilateral
H21.321	Implantation cysts of iris, ciliary body or anterior chamber, right eye
H21.322	Implantation cysts of iris, ciliary body or anterior chamber, left eye
H21.323	Implantation cysts of iris, ciliary body or anterior chamber, bilateral
H21.341	Primary cyst of pars plana, right eye
H21.342	Primary cyst of pars plana, left eye
H21.343	Primary cyst of pars plana, bilateral
H21.351	Exudative cyst of pars plana, right eye
H21.352	Exudative cyst of pars plana, left eye
H21.353	Exudative cyst of pars plana, bilateral
H21.41	Pupillary membranes, right eye
H21.42	Pupillary membranes, left eye
H21.43	Pupillary membranes, bilateral
H21.511	Anterior synechiae (iris), right eye
H21.512	Anterior synechiae (iris), left eye
H21.513	Anterior synechiae (iris), bilateral
H21.521	Goniosynechiae, right eye
H21.522	Goniosynechiae, left eye
H21.523	Goniosynechiae, bilateral

Medical indications for 92132 – SCODI, anterior segment	
ICD-10-CM Code	Description
H21.531	Iridodialysis, right eye
H21.532	Iridodialysis, left eye
H21.533	Iridodialysis, bilateral
H21.541	Posterior synechiae (iris), right eye
H21.542	Posterior synechiae (iris), left eye
H21.543	Posterior synechiae (iris), bilateral
H21.551	Recession of chamber angle, right eye
H21.552	Recession of chamber angle, left eye
H21.553	Recession of chamber angle, bilateral
H21.561	Pupillary abnormality, right eye
H21.562	Pupillary abnormality, left eye
H21.563	Pupillary abnormality, bilateral
H21.82	Plateau iris syndrome (post-iridectomy) (post procedural)
H27.01	Aphakia, right eye
H27.02	Aphakia, left eye
H27.03	Aphakia, bilateral
H27.111	Subluxation of lens, right eye
H27.112	Subluxation of lens, left eye
H27.113	Subluxation of lens, bilateral
H27.121	Anterior dislocation of lens, right eye
H27.122	Anterior dislocation of lens, left eye
H27.123	Anterior dislocation of lens, bilateral
H40.031	Anatomical narrow angle, right eye
H40.032	Anatomical narrow angle, left eye
H40.033	Anatomical narrow angle, bilateral
H40.1211	Low-tension glaucoma, right eye, mild stage
H40.1212	Low-tension glaucoma, right eye, moderate stage
H40.1213	Low-tension glaucoma, right eye, severe stage
H40.1221	Low-tension glaucoma, left eye, mild stage
H40.1222	Low-tension glaucoma, left eye, moderate stage
H40.1223	Low-tension glaucoma, left eye, severe stage
H40.1231	Low-tension glaucoma, bilateral, mild stage
H40.1232	Low-tension glaucoma, bilateral, moderate stage
H40.1233	Low-tension glaucoma, bilateral, severe stage
H40.1311	Pigmentary glaucoma, right eye, mild stage
H40.1312	Pigmentary glaucoma, right eye, moderate stage
H40.1313	Pigmentary glaucoma, right eye, severe stage
H40.1321	Pigmentary glaucoma, left eye, mild stage
H40.1322	Pigmentary glaucoma, left eye, moderate stage
H40.1323	Pigmentary glaucoma, left eye, severe stage
H40.1331	Pigmentary glaucoma, bilateral, mild stage
H40.1332	Pigmentary glaucoma, bilateral, moderate stage

Medical indications for 92132 – SCODI, anterior segment	
ICD-10-CM Code	Description
H40.1333	Pigmentary glaucoma, bilateral, severe stage
H40.1411	Capsular glaucoma with pseudoexfoliation of lens, right eye, mild stage
H40.1412	Capsular glaucoma with pseudoexfoliation of lens, right eye, moderate stage
H40.1413	Capsular glaucoma with pseudoexfoliation of lens, right eye, severe stage
H40.1421	Capsular glaucoma with pseudoexfoliation of lens, left eye, mild stage
H40.1422	Capsular glaucoma with pseudoexfoliation of lens, left eye, moderate stage
H40.1423	Capsular glaucoma with pseudoexfoliation of lens, left eye, severe stage
H40.1431	Capsular glaucoma with pseudoexfoliation of lens, bilateral, mild stage
H40.1432	Capsular glaucoma with pseudoexfoliation of lens, bilateral, moderate stage
H40.1433	Capsular glaucoma with pseudoexfoliation of lens, bilateral, severe stage
H40.151	Residual stage of open-angle glaucoma, right eye
H40.152	Residual stage of open-angle glaucoma, left eye
H40.153	Residual stage of open-angle glaucoma, bilateral
H40.211	Acute angle-closure glaucoma, right eye
H40.212	Acute angle-closure glaucoma, left eye
H40.213	Acute angle-closure glaucoma, bilateral
H40.2211	Chronic-angle-closure glaucoma, right eye, mild stage
H40.2212	Chronic-angle-closure glaucoma, right eye, moderate stage
H40.2213	Chronic-angle-closure glaucoma, right eye, severe stage
H40.2221	Chronic-angle-closure glaucoma, left eye, mild stage
H40.2222	Chronic-angle-closure glaucoma, left eye, moderate stage
H40.2223	Chronic-angle-closure glaucoma, left eye, severe stage
H40.2231	Chronic-angle-closure glaucoma, bilateral, mild stage
H40.2232	Chronic-angle-closure glaucoma, bilateral, moderate stage
H40.2233	Chronic-angle-closure glaucoma, bilateral, severe stage
H40.231	Intermittent angle-closure glaucoma, right eye
H40.232	Intermittent angle-closure glaucoma, left eye
H40.233	Intermittent angle-closure glaucoma, bilateral
H40.241	Residual stage of angle-closure glaucoma, right eye
H40.242	Residual stage of angle-closure glaucoma, left eye
H40.243	Residual stage of angle-closure glaucoma, bilateral
H40.31X1	Glaucoma secondary to eye trauma, right eye, mild stage
H40.31X2	Glaucoma secondary to eye trauma, right eye, moderate stage
H40.31X3	Glaucoma secondary to eye trauma, right eye, severe stage
H40.32X1	Glaucoma secondary to eye trauma, left eye, mild stage
H40.32X2	Glaucoma secondary to eye trauma, left eye, moderate stage
H40.32X3	Glaucoma secondary to eye trauma, left eye, severe stage
H40.33X1	Glaucoma secondary to eye trauma, bilateral , mild stage
H40.33X2	Glaucoma secondary to eye trauma, bilateral , moderate stage
H40.33X3	Glaucoma secondary to eye trauma, bilateral, severe stage
H40.41X1	Glaucoma secondary to eye inflammation, right eye, mild stage
H40.41X2	Glaucoma secondary to eye inflammation, right eye, moderate stage

Medical indications for 92132 – SCODI, anterior segment	
ICD-10-CM Code	Description
H40.41X3	Glaucoma secondary to eye inflammation, right eye, severe stage
H40.42X1	Glaucoma secondary to eye inflammation, left eye, mild stage
H40.42X2	Glaucoma secondary to eye inflammation, left eye, moderate stage
H40.42X3	Glaucoma secondary to eye inflammation, left eye, severe stage
H40.43X1	Glaucoma secondary to eye inflammation, bilateral, mild stage
H40.43X2	Glaucoma secondary to eye inflammation, bilateral, moderate stage
H40.43X3	Glaucoma secondary to eye inflammation, bilateral, severe stage
H40.51X1	Glaucoma secondary to other eye disorders, right eye, mild stage
H40.51X2	Glaucoma secondary to other eye disorders, right eye, moderate stage
H40.51X3	Glaucoma secondary to other eye disorders, right eye, severe stage
H40.52X1	Glaucoma secondary to other eye disorders, left eye, mild stage
H40.52X2	Glaucoma secondary to other eye disorders, left eye, moderate stage
H40.52X3	Glaucoma secondary to other eye disorders, left eye, severe stage
H40.53X1	Glaucoma secondary to other eye disorders, bilateral, mild stage
H40.53X2	Glaucoma secondary to other eye disorders, bilateral, moderate stage
H40.53X3	Glaucoma secondary to other eye disorders, bilateral, severe stage
H40.61X1	Glaucoma secondary to drugs, right eye, mild stage
H40.61X2	Glaucoma secondary to drugs, right eye, moderate stage
H40.61X3	Glaucoma secondary to drugs, right eye, severe stage
H40.62X1	Glaucoma secondary to drugs, left eye, mild stage
H40.62X2	Glaucoma secondary to drugs, left eye, moderate stage
H40.62X3	Glaucoma secondary to drugs, left eye, severe stage
H40.63X1	Glaucoma secondary to drugs, bilateral, mild stage
H40.63X2	Glaucoma secondary to drugs, bilateral, moderate stage
H40.63X3	Glaucoma secondary to drugs, bilateral, severe stage
H40.811	Glaucoma with increased episcleral venous pressure, right eye
H40.812	Glaucoma with increased episcleral venous pressure, left eye
H40.813	Glaucoma with increased episcleral venous pressure, bilateral
H40.821	Hypersecretion glaucoma, right eye
H40.822	Hypersecretion glaucoma, left eye
H40.823	Hypersecretion glaucoma, bilateral
H40.831	Aqueous misdirection, right eye
H40.832	Aqueous misdirection, left eye
H40.833	Aqueous misdirection, bilateral
H40.841	Neovascular secondary angle closure glaucoma, right eye
H40.842	Neovascular secondary angle closure glaucoma, left eye
H40.843	Neovascular secondary angle closure glaucoma, bilateral
H44.611	Retained (old) magnetic foreign body in anterior chamber, right eye
H44.612	Retained (old) magnetic foreign body in anterior chamber, left eye
H44.613	Retained (old) magnetic foreign body in anterior chamber, bilateral
H44.711	Retained (nonmagnetic) (old) foreign body in anterior chamber, right eye
H44.712	Retained (nonmagnetic) (old) foreign body in anterior chamber, left eye

Medical indications for 92132 – SCODI, anterior segment	
ICD-10-CM Code	Description
H44.713	Retained (nonmagnetic) (old) foreign body in anterior chamber, bilateral
T85.21XA	Breakdown (mechanical) of intraocular lens, initial encounter
T85.21XD	Breakdown (mechanical) of intraocular lens, subsequent encounter
T85.21XS	Breakdown (mechanical) of intraocular lens, sequela
T85.22XA	Displacement of intraocular lens, initial encounter
T85.22XD	Displacement of intraocular lens, subsequent encounter
T85.22XS	Displacement of intraocular lens, sequela
T85.318A	Breakdown (mechanical) of other ocular prosthetic devices, implants and grafts, initial encounter
T85.318D	Breakdown (mechanical) of other ocular prosthetic devices, implants and grafts, subsequent encounter
T85.318S	Breakdown (mechanical) of other ocular prosthetic devices, implants and grafts, sequela
T85.328A	Displacement of other ocular prosthetic devices, implants and grafts, initial encounter
T85.328D	Displacement of other ocular prosthetic devices, implants and grafts, subsequent encounter
T85.328S	Displacement of other ocular prosthetic devices, implants and grafts, sequela
T85.79XA	Infection and inflammatory reaction due to other internal prosthetic devices, implants and grafts, initial encounter
T85.79XD	Infection and inflammatory reaction due to other internal prosthetic devices, implants and grafts, initial encounter
T85.79XS	Infection and inflammatory reaction due to other internal prosthetic devices, implants and grafts, sequela
T86.840	Corneal transplant rejection
T86.841	Corneal transplant failure
T86.842	Corneal transplant infection

Medical Indications for 92133 – SCODI, optic nerve	
ICD-10-CM Code	Description
C69.81	Malignant neoplasm of overlapping sites of right eye and adnexa
C69.82	Malignant neoplasm of overlapping sites of left eye and adnexa
C71.0	Malignant neoplasm of cerebrum, except lobes and ventricles
C71.1	Malignant neoplasm of frontal lobe
C71.2	Malignant neoplasm of temporal lobe
C71.3	Malignant neoplasm of parietal lobe
C71.4	Malignant neoplasm of occipital lobe
C71.5	Malignant neoplasm of cerebral ventricle
C71.6	Malignant neoplasm of cerebellum
C71.7	Malignant neoplasm of brain stem

Medical Indications for 92133 – SCODI, optic nerve	
ICD-10-CM Code	Description
C71.8	Malignant neoplasm of overlapping sites of brain
C72.0	Malignant neoplasm of spinal cord
C72.1	Malignant neoplasm of cauda equine
C72.21	Malignant neoplasm of right olfactory nerve
C72.22	Malignant neoplasm of left olfactory nerve
C72.31	Malignant neoplasm of right optic nerve
C72.32	Malignant neoplasm of left optic nerve
C72.41	Malignant neoplasm of right acoustic nerve
C72.42	Malignant neoplasm of left acoustic nerve
C75.1	Malignant neoplasm of pituitary gland
C75.2	Malignant neoplasm of craniopharyngeal duct
C75.3	Malignant neoplasm of pineal gland
C79.31	Secondary malignant neoplasm of brain
D18.09	Hemangioma of other sites
D32.0	Benign neoplasm of cerebral meninges
D33.0	Benign neoplasm of brain, supratentorial
D33.1	Benign neoplasm of brain, infratentorial
D33.3	Benign neoplasm of cranial nerves
D35.2	Benign neoplasm of pituitary gland
D35.3	Benign neoplasm of craniopharyngeal duct
D35.4	Benign neoplasm of pineal gland
D42.0	Neoplasm of uncertain behavior of cerebral meninges
D42.1	Neoplasm of uncertain behavior of spinal meninges
D43.0	Neoplasm of uncertain behavior of brain, supratentorial
D43.1	Neoplasm of uncertain behavior of brain, infratentorial
D43.4	Neoplasm of uncertain behavior of spinal cord
D44.3	Neoplasm of uncertain behavior of pituitary gland
D44.4	Neoplasm of uncertain behavior of craniopharyngeal duct
D44.5	Neoplasm of uncertain behavior of pineal gland
H05.011	Cellulitis of right orbit
H05.012	Cellulitis of left orbit
H05.013	Cellulitis of bilateral orbits
H05.021	Osteomyelitis of right orbit
H05.022	Osteomyelitis of left orbit
H05.023	Osteomyelitis of bilateral orbits
H05.031	Periostitis of right orbit
H05.032	Periostitis of left orbit
H05.033	Periostitis of bilateral orbits
H05.041	Tenonitis of right orbit
H05.042	Tenonitis of left orbit
H05.043	Tenonitis of bilateral orbits
H05.111	Granuloma of right orbit

Medical Indications for 92133 – SCODI, optic nerve	
ICD-10-CM Code	Description
H05.112	Granuloma of left orbit
H05.113	Granuloma of bilateral orbits
H05.121	Orbital myositis, right orbit
H05.122	Orbital myositis, left orbit
H05.123	Orbital myositis, bilateral
H05.211	Displacement (lateral) of globe, right eye
H05.212	Displacement (lateral) of globe, left eye
H05.213	Displacement (lateral) of globe, bilateral
H05.221	Edema of right orbit
H05.222	Edema of left orbit
H05.223	Edema of bilateral orbits
H05.231	Hemorrhage of right orbit
H05.232	Hemorrhage of left orbit
H05.233	Hemorrhage of bilateral orbits
H05.241	Constant exophthalmos, right eye
H05.242	Constant exophthalmos, left eye
H05.243	Constant exophthalmos, bilateral
H05.251	Intermittent exophthalmos, right eye
H05.252	Intermittent exophthalmos, left eye
H05.253	Intermittent exophthalmos, bilateral
H05.261	Pulsating exophthalmos, right eye
H05.262	Pulsating exophthalmos, left eye
H05.263	Pulsating exophthalmos, bilateral
H05.311	Atrophy of right orbit
H05.312	Atrophy of left orbit
H05.313	Atrophy of bilateral orbits
H05.321	Deformity of right orbit due to bone disease
H05.322	Deformity of left orbit due to bone disease
H05.323	Deformity of bilateral orbits due to bone disease
H05.331	Deformity of right orbit due to trauma or surgery
H05.332	Deformity of left orbit due to trauma or surgery
H05.333	Deformity of bilateral orbits due to trauma or surgery
H05.341	Enlargement of right orbit
H05.342	Enlargement of left orbit
H05.343	Enlargement of bilateral orbits
H05.351	Exostosis of right orbit
H05.352	Exostosis of left orbit
H05.353	Enlargement of bilateral orbits
H05.411	Enophthalmos due to atrophy of orbital tissue, right eye
H05.412	Enophthalmos due to atrophy of orbital tissue, left eye
H05.413	Enophthalmos due to atrophy of orbital tissue, bilateral
H05.421	Enophthalmos due to trauma or surgery, right eye

Medical Indications for 92133 – SCODI, optic nerve	
ICD-10-CM Code	Description
H05.422	Enophthalmos due to trauma or surgery, left eye
H05.423	Enophthalmos due to trauma or surgery, bilateral
H05.51	Retained (old) foreign body following penetrating wound of right orbit
H05.52	Retained (old) foreign body following penetrating wound of left orbit
H05.53	Retained (old) foreign body following penetrating wound of bilateral orbits
H05.811	Cyst of right orbit
H05.812	Cyst of left orbit
H05.813	Cyst of bilateral orbits
H05.821	Myopathy of extraocular muscles, right orbit
H05.822	Myopathy of extraocular muscles, left orbit
H05.823	Myopathy of extraocular muscles, bilateral
H05.831	Thyroid orbitopathy, right orbit
H05.832	Thyroid orbitopathy, left orbit
H05.833	Thyroid orbitopathy, bilateral
H40.011	Open angle with borderline findings, low risk, right eye
H40.012	Open angle with borderline findings, low risk, left eye
H40.013	Open angle with borderline findings, low risk, bilateral
H40.021	Open angle with borderline findings, high risk, right eye
H40.022	Open angle with borderline findings, high risk, left eye
H40.023	Open angle with borderline findings, high risk, bilateral
H40.031	Anatomical narrow angle, right eye
H40.032	Anatomical narrow angle, left eye
H40.033	Anatomical narrow angle, bilateral
H40.041	Steroid responder, right eye
H40.042	Steroid responder, left eye
H40.043	Steroid responder, bilateral
H40.051	Ocular hypertension, right eye
H40.052	Ocular hypertension, left eye
H40.053	Ocular hypertension, bilateral
H40.061	Primary angle closure without glaucoma damage, right eye
H40.062	Primary angle closure without glaucoma damage, left eye
H40.063	Primary angle closure without glaucoma damage, bilateral
H40.1111	Primary open-angle glaucoma, right eye, mild stage
H40.1112	Primary open-angle glaucoma, right eye, moderate stage
H40.1113	Primary open-angle glaucoma, right eye, severe stage
H40.1121	Primary open-angle glaucoma, left eye, mild stage
H40.1122	Primary open-angle glaucoma, left eye, moderate stage
H40.1123	Primary open-angle glaucoma, left eye, severe stage
H40.1131	Primary open-angle glaucoma, bilateral, mild stage
H40.1132	Primary open angle glaucoma, bilateral, moderate stage
H40.1133	Primary open angle glaucoma, bilateral, severe stage
H40.1211	Low-tension glaucoma, right eye, mild stage

Medical Indications for 92133 – SCODI, optic nerve	
ICD-10-CM Code	Description
H40.1212	Low-tension glaucoma, right eye, moderate stage
H40.1213	Low-tension glaucoma, right eye, severe stage
H40.1221	Low-tension glaucoma, left eye, mild stage
H40.1222	Low-tension glaucoma, left eye, moderate stage
H40.1223	Low-tension glaucoma, left eye, severe stage
H40.1231	Low-tension glaucoma, bilateral, mild stage
H40.1232	Low-tension glaucoma, bilateral, moderate stage
H40.1233	Low-tension glaucoma, bilateral, severe stage
H40.1311	Pigmentary glaucoma, right eye, mild stage
H40.1312	Pigmentary glaucoma, right eye, moderate stage
H40.1313	Pigmentary glaucoma, right eye, severe stage
H40.1321	Pigmentary glaucoma, left eye, mild stage
H40.1322	Pigmentary glaucoma, left eye, moderate stage
H40.1323	Pigmentary glaucoma, left eye, severe stage
H40.1331	Pigmentary glaucoma, bilateral, mild stage
H40.1332	Pigmentary glaucoma, bilateral, moderate stage
H40.1333	Pigmentary glaucoma, bilateral, severe stage
H40.1411	Capsular glaucoma with pseudoexfoliation of lens, right eye, mild stage
H40.1412	Capsular glaucoma with pseudoexfoliation of lens, right eye, moderate stage
H40.1413	Capsular glaucoma with pseudoexfoliation of lens, right eye, severe stage
H40.1421	Capsular glaucoma with pseudoexfoliation of lens, left eye, mild stage
H40.1422	Capsular glaucoma with pseudoexfoliation of lens, left eye, moderate stage
H40.1423	Capsular glaucoma with pseudoexfoliation of lens, left eye, severe stage
H40.1431	Capsular glaucoma with pseudoexfoliation of lens, bilateral, mild stage
H40.1432	Capsular glaucoma with pseudoexfoliation of lens, bilateral, moderate stage
H40.1433	Capsular glaucoma with pseudoexfoliation of lens, bilateral, severe stage
H40.151	Residual stage of open-angle glaucoma, right eye
H40.152	Residual stage of open-angle glaucoma, left eye
H40.153	Residual stage of open-angle glaucoma, bilateral
H40.211	Acute angle-closure glaucoma, right eye
H40.212	Acute angle-closure glaucoma, left eye
H40.213	Acute angle-closure glaucoma, bilateral
H40.2211	Chronic angle-closure glaucoma, right eye, mild stage
H40.2212	Chronic angle-closure glaucoma, right eye, moderate stage
H40.2213	Chronic angle-closure glaucoma, right eye, severe stage
H40.2221	Chronic angle-closure glaucoma, left eye, mild stage
H40.2222	Chronic angle-closure glaucoma, left eye, moderate stage
H40.2223	Chronic angle-closure glaucoma, left eye, severe stage
H40.2231	Chronic angle-closure glaucoma, bilateral, mild stage
H40.2232	Chronic angle-closure glaucoma, bilateral, moderate stage
H40.2233	Chronic angle-closure glaucoma, bilateral, severe stage
H40.231	Intermittent angle-closure glaucoma, right eye

Medical Indications for 92133 – SCODI, optic nerve	
ICD-10-CM Code	Description
H40.232	Intermittent angle-closure glaucoma, left eye
H40.233	Intermittent angle-closure glaucoma, bilateral
H40.241	Residual stage of angle-closure glaucoma, right eye
H40.242	Residual stage of angle-closure glaucoma, left eye
H40.243	Residual stage of angle-closure glaucoma, bilateral
H40.31X1	Glaucoma secondary to eye trauma, right eye, mild stage
H40.31X2	Glaucoma secondary to eye trauma, right eye, moderate stage
H40.31X3	Glaucoma secondary to eye trauma, right eye, severe stage
H40.32X1	Glaucoma secondary to eye trauma, left eye, mild stage
H40.32X2	Glaucoma secondary to eye trauma, left eye, moderate stage
H40.32X3	Glaucoma secondary to eye trauma, left eye, severe stage
H40.33X1	Glaucoma secondary to eye trauma, bilateral, mild stage
H40.33X2	Glaucoma secondary to eye trauma, bilateral, moderate stage
H40.33X3	Glaucoma secondary to eye trauma, bilateral, severe stage
H40.41X1	Glaucoma secondary to eye inflammation, right eye, mild stage
H40.41X2	Glaucoma secondary to eye inflammation, right eye, moderate stage
H40.41X3	Glaucoma secondary to eye inflammation, right eye, severe stage
H40.42X1	Glaucoma secondary to eye inflammation, left eye, mild stage
H40.42X2	Glaucoma secondary to eye inflammation, left eye, moderate stage
H40.42X3	Glaucoma secondary to eye inflammation, left eye, severe stage
H40.43X1	Glaucoma secondary to eye inflammation, bilateral, mild stage
H40.43X2	Glaucoma secondary to eye inflammation, bilateral, moderate stage
H40.43X3	Glaucoma secondary to eye inflammation, bilateral, severe stage
H40.51X1	Glaucoma secondary to other eye disorders, right eye, mild stage
H40.51X2	Glaucoma secondary to other eye disorders, right eye, moderate stage
H40.51X3	Glaucoma secondary to other eye disorders, right eye, severe stage
H40.52X1	Glaucoma secondary to other eye disorders, left eye, mild stage
H40.52X2	Glaucoma secondary to other eye disorders, left eye, moderate stage
H40.52X3	Glaucoma secondary to other eye disorders, left eye, severe stage
H40.53X1	Glaucoma secondary to other eye disorders, bilateral, mild stage
H40.53X2	Glaucoma secondary to other eye disorders, bilateral, moderate stage
H40.53X3	Glaucoma secondary to other eye disorders, bilateral, severe stage
H40.61X1	Glaucoma secondary to drugs, right eye, mild stage
H40.61X2	Glaucoma secondary to drugs, right eye, moderate stage
H40.61X3	Glaucoma secondary to drugs, right eye, severe stage
H40.62X1	Glaucoma secondary to drugs, left eye, mild stage
H40.62X2	Glaucoma secondary to drugs, left eye, moderate stage
H40.62X3	Glaucoma secondary to drugs, left eye, severe stage
H40.63X1	Glaucoma secondary to drugs, bilateral, mild stage
H40.63X2	Glaucoma secondary to drugs, bilateral, moderate stage
H40.63X3	Glaucoma secondary to drugs, bilateral, severe stage
H40.811	Glaucoma with increased episcleral venous pressure, right eye

Medical Indications for 92133 – SCODI, optic nerve	
ICD-10-CM Code	Description
H40.812	Glaucoma with increased episcleral venous pressure, left eye
H40.813	Glaucoma with increased episcleral venous pressure, bilateral
H40.821	Hypersecretion glaucoma, right eye
H40.822	Hypersecretion glaucoma, left eye
H40.823	Hypersecretion glaucoma, bilateral
H40.831	Aqueous misdirection, right eye
H40.832	Aqueous misdirection, left eye
H40.833	Aqueous misdirection, bilateral
H40.841	Neovascular secondary angle closure glaucoma, right eye
H40.842	Neovascular secondary angle closure glaucoma, left eye
H40.843	Neovascular secondary angle closure glaucoma, bilateral
H44.411	Flat anterior chamber hypotony of right eye
H44.412	Flat anterior chamber hypotony of left eye
H44.413	Flat anterior chamber hypotony, bilateral
H44.421	Hypotony of right eye due to ocular fistula
H44.422	Hypotony of left eye due to ocular fistula
H44.423	Hypotony of bilateral eyes due to ocular fistula
H44.431	Hypotony of right eye due to other ocular disorders
H44.432	Hypotony of left eye due to other ocular disorders
H44.433	Hypotony of bilateral eyes due to other ocular disorders
H44.441	Primary hypotony of right eye
H44.442	Primary hypotony of left eye
H44.443	Primary hypotony of eye, bilateral
H47.011	Ischemic optic neuropathy, right eye
H47.012	Ischemic optic neuropathy, left eye
H47.013	Ischemic optic neuropathy, bilateral
H47.021	Hemorrhage in optic nerve sheath, right eye
H47.022	Hemorrhage in optic nerve sheath, left eye
H47.023	Hemorrhage in optic nerve sheath, bilateral
H47.031	Optic nerve hypoplasia, right eye
H47.032	Optic nerve hypoplasia, left eye
H47.033	Optic nerve hypoplasia, bilateral
H47.11	Papilledema associated with increased intracranial pressure
H47.12	Papilledema associated with decreased ocular pressure
H47.13	Papilledema associated with retinal disorder
H47.211	Primary optic atrophy, right eye
H47.212	Primary optic atrophy, left eye
H47.213	Primary optic atrophy, bilateral
H47.141	Foster-Kennedy syndrome, right eye
H47.142	Foster-Kennedy syndrome, left eye
H47.143	Foster-Kennedy syndrome, bilateral
H47.231	Glaucomatous optic atrophy, right eye

Medical Indications for 92133 – SCODI, optic nerve	
ICD-10-CM Code	Description
H47.232	Glaucomatous optic atrophy, left eye
H47.233	Glaucomatous optic atrophy, bilateral
H47.311	Coloboma of optic disc, right eye
H47.312	Coloboma of optic disc, left eye
H47.313	Coloboma of optic disc, bilateral
H47.321	Drusen of optic disc, right eye
H47.322	Drusen of optic disc, left eye
H47.323	Drusen of optic disc, bilateral
H47.331	Pseudopapilledema of optic disc, right eye
H47.332	Pseudopapilledema of optic disc, left eye
H47.333	Pseudopapilledema of optic disc, bilateral
H47.41	Disorders of optic chiasm in (due to) inflammatory disorders
H47.42	Disorders of optic chiasm in (due to) neoplasm
H47.43	Disorders of optic chiasm in (due to) vascular disorders
H47.511	Disorders of visual pathways in (due to) inflammatory disorders, right side
H47.512	Disorders of visual pathways in (due to) inflammatory disorders, left side
H47.521	Disorders of visual pathways in (due to) neoplasm, right side
H47.522	Disorders of visual pathways in (due to) neoplasm, left side
H47.531	Disorders of visual pathways in (due to) vascular disorders, right side
H47.532	Disorders of visual pathways in (due to) vascular disorders, left side
H53.411	Scotoma involving central area, right eye
H53.412	Scotoma involving central area, left eye
H53.413	Scotoma involving central area, bilateral
H53.421	Scotoma of blind spot area, right eye
H53.422	Scotoma of blind spot area, left eye
H53.423	Scotoma of blind spot area, bilateral
H53.431	Sector or arcuate defects, right eye
H53.432	Sector or arcuate defects, left eye
H53.433	Sector or arcuate defects, bilateral
H53.451	Other localized visual field defect, right eye
H53.452	Other localized visual field defect, left eye
H53.453	Other localized visual field defect, bilateral
H53.481	Generalized contraction of visual field, right eye
H53.482	Generalized contraction of visual field, left eye
H53.483	Generalized contraction of visual field, bilateral
Q14.2	Congenital malformation of optic disc
Q14.8	Other congenital malformations of posterior segment of eye
Q15.0	Congenital glaucoma
S04.041A	Injury of visual cortex, right side, initial encounter
S04.041D	Injury of visual cortex right side, subsequent encounter
S04.041S	Injury of visual cortex, right side, sequela
S04.042A	Injury of visual cortex, left side, initial encounter

Medical Indications for 92133 – SCODI, optic nerve	
ICD-10-CM Code	Description
S04.042D	Injury of visual cortex, left side, subsequent encounter
S04.042S	Injury of visual cortex, left side, sequela
S05.11XA	Contusion of eyeball and orbital tissues, right eye, initial encounter
S05.11XD	Contusion of eyeball and orbital tissues, right eye, subsequent encounter
S05.11XS	Contusion of eyeball and orbital tissues, right eye, sequela
S05.12XA	Contusion of eyeball and orbital tissues, left eye, initial encounter
S05.12XD	Contusion of eyeball and orbital tissues, left eye, subsequent encounter
S05.12XS	Contusion of eyeball and orbital tissues, left eye, sequela
S05.21XA	Ocular laceration and rupture with prolapse or loss of intraocular tissue right eye initial encounter
S05.21XD	Ocular laceration and rupture with prolapse or loss of intraocular tissue right eye subsequent encounter
S05.21XS	Ocular laceration and rupture with prolapse or loss of intraocular tissue right eye sequela
S05.22XA	Ocular laceration and rupture with prolapse or loss of intraocular tissue left eye initial encounter
S05.22XD	Ocular laceration and rupture with prolapse or loss of intraocular tissue left eye subsequent encounter
S05.22XS	Ocular laceration and rupture with prolapse or loss of intraocular tissue left eye sequela
S05.31XA	Ocular laceration without prolapse or loss of intraocular tissue right eye initial encounter
S05.31XD	Ocular laceration without prolapse or loss of intraocular tissue right eye subsequent encounter
S05.31XS	Ocular laceration without prolapse or loss of intraocular tissue right eye sequela
S05.32XA	Ocular laceration without prolapse or loss of intraocular tissue left eye initial encounter
S05.32XD	Ocular laceration without prolapse or loss of intraocular tissue left eye subsequent encounter
S05.32XS	Ocular laceration without prolapse or loss of intraocular tissue left eye sequela
S05.41XA	Penetrating wound of orbit with or without foreign body right eye initial encounter
S05.41XD	Penetrating wound of orbit with or without foreign body right eye subsequent encounter
S05.41XS	Penetrating wound of orbit with or without foreign body right eye sequela
S05.42XA	Penetrating wound of orbit with or without foreign body left eye initial encounter
S05.42XD	Penetrating wound of orbit with or without foreign body left eye subsequent encounter
S05.42XS	Penetrating wound of orbit with or without foreign body left eye sequela
S05.51XA	Penetrating wound with foreign body of right eyeball initial encounter

Medical Indications for 92133 – SCODI, optic nerve	
ICD-10-CM Code	Description
S05.51XD	Penetrating wound with foreign body of right eyeball subsequent encounter
S05.51XS	Penetrating wound with foreign body of right eyeball sequela
S05.52XA	Penetrating wound with foreign body of left eyeball initial encounter
S05.52XD	Penetrating wound with foreign body of left eyeball subsequent encounter
S05.52XS	Penetrating wound with foreign body of left eyeball sequela
S05.61XA	Penetrating wound without foreign body right eye initial encounter
S05.61XD	Penetrating wound without foreign body right eye subsequent encounter
S05.61XS	Penetrating wound without foreign body right eye sequela
S05.62XA	Penetrating wound without foreign body left eye initial encounter
S05.62XD	Penetrating wound without foreign body left eye subsequent encounter
S05.62XS	Penetrating wound without foreign body left eye sequela
S05.71XA	Avulsion of right eye initial encounter
S05.71XD	Avulsion of right eye subsequent encounter
S05.71XS	Avulsion of right eye sequela
S05.72XA	Avulsion of left eye initial encounter
S05.72XD	Avulsion of left eye subsequent encounter
S05.72XS	Avulsion of left eye sequela

Medical Indications for 92134 – SCODI, retina and 92137 – SCODI, retina, including OCT angiography	
ICD-10-CM Code	Description
B39.5	Histoplasmosis duboisii
C69.31	Malignant neoplasm of right choroid
C69.32	Malignant neoplasm of left choroid
C69.81	Malignant neoplasm of overlapping sites of right eye and adnexa
C69.82	Malignant neoplasm of overlapping sites of left eye and adnexa
D31.31	Benign neoplasm of right choroid
D31.32	Benign neoplasm of left choroid
E08.3211	Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy with macular edema, right eye
E08.3212	Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy with macular edema, left eye
E08.3213	Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy with macular edema, bilateral
E08.3291	Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy without macular edema, right eye
E08.3292	Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy without macular edema, left eye
E08.3293	Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy without macular edema, bilateral

Medical Indications for 92134 – SCODI, retina and 92137 – SCODI, retina, including OCT angiography	
ICD-10-CM Code	Description
E08.3311	Diabetes mellitus due to underlying condition with moderate nonproliferative diabetic retinopathy with macular edema, right eye
E08.3312	Diabetes mellitus due to underlying condition with moderate nonproliferative diabetic retinopathy with macular edema, left eye
E08.3313	Diabetes mellitus due to underlying condition with moderate nonproliferative diabetic retinopathy with macular edema, bilateral
E08.3391	Diabetes mellitus due to underlying condition with moderate nonproliferative diabetic retinopathy without macular edema, right eye
E08.3392	Diabetes mellitus due to underlying condition with moderate nonproliferative diabetic retinopathy without macular edema, left eye
E08.3393	Diabetes mellitus due to underlying condition with moderate nonproliferative diabetic retinopathy without macular edema, bilateral
E08.3411	Diabetes mellitus due to underlying condition with severe nonproliferative diabetic retinopathy with macular edema, right eye
E08.3412	Diabetes mellitus due to underlying condition with severe nonproliferative diabetic retinopathy with macular edema, left eye
E08.3413	Diabetes mellitus due to underlying condition with severe nonproliferative diabetic retinopathy with macular edema, bilateral
E08.3491	Diabetes mellitus due to underlying condition with severe nonproliferative diabetic retinopathy without macular edema, right eye
E08.3492	Diabetes mellitus due to underlying condition with severe nonproliferative diabetic retinopathy without macular edema, left eye
E08.3493	Diabetes mellitus due to underlying condition with severe nonproliferative diabetic retinopathy without macular edema, bilateral
E08.3511	Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with macular edema, right eye
E08.3512	Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with macular edema, left eye
E08.3513	Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with macular edema, bilateral
E08.3521	Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with traction retinal detachment involving the macula, right eye
E08.3522	Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with traction retinal detachment involving the macula, left eye
E08.3523	Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with traction retinal detachment involving the macula, bilateral
E08.3531	Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, right eye
E08.3532	Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, left eye

Medical Indications for 92134 – SCODI, retina and 92137 – SCODI, retina, including OCT angiography	
ICD-10-CM Code	Description
E08.3533	Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, bilateral
E08.3541	Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, right eye
E08.3542	Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, left eye
E08.3543	Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, bilateral
E08.3551	Diabetes mellitus due to underlying condition with stable proliferative diabetic retinopathy, right eye
E08.3552	Diabetes mellitus due to underlying condition with stable proliferative diabetic retinopathy, left eye
E08.3553	Diabetes mellitus due to underlying condition with stable proliferative diabetic retinopathy, bilateral
E08.3591	Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy without macular edema, right eye
E08.3592	Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy without macular edema, left eye
E08.3593	Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy without macular edema, bilateral
E08.37X1	Diabetes mellitus due to underlying condition with diabetic macular edema, resolved following treatment, right eye
E08.37X2	Diabetes mellitus due to underlying condition with diabetic macular edema, resolved following treatment, left eye
E08.37X3	Diabetes mellitus due to underlying condition with diabetic macular edema, resolved following treatment, bilateral
E09.3211	Drug or chemical induced diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, right eye
E09.3212	Drug or chemical induced diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, left eye
E09.3213	Drug or chemical induced diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, bilateral
E09.3291	Drug or chemical induced diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, right eye
E09.3292	Drug or chemical induced diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, left eye
E09.3293	Drug or chemical induced diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, bilateral

Medical Indications for 92134 – SCODI, retina and 92137 – SCODI, retina, including OCT angiography	
ICD-10-CM Code	Description
E09.3311	Drug or chemical induced diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, right eye
E09.3312	Drug or chemical induced diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, left eye
E09.3313	Drug or chemical induced diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, bilateral
E09.3391	Drug or chemical induced diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, right eye
E09.3392	Drug or chemical induced diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, left eye
E09.3393	Drug or chemical induced diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, bilateral
E09.3411	Drug or chemical induced diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, right eye
E09.3412	Drug or chemical induced diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, left eye
E09.3413	Drug or chemical induced diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, bilateral
E09.3491	Drug or chemical induced diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, right eye
E09.3492	Drug or chemical induced diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, left eye
E09.3493	Drug or chemical induced diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, bilateral
E09.3511	Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with macular edema, right eye
E09.3512	Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with macular edema, left eye
E09.3513	Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with macular edema, bilateral
E09.3521	Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, right eye
E09.3522	Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, left eye
E09.3523	Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, bilateral
E09.3531	Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, right eye

Medical Indications for 92134 – SCODI, retina and 92137 – SCODI, retina, including OCT angiography	
ICD-10-CM Code	Description
E09.3532	Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, left eye
E09.3533	Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, bilateral
E09.3541	Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, right eye
E09.3542	Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, left eye
E09.3543	Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, bilateral
E09.3551	Drug or chemical induced diabetes mellitus with stable proliferative diabetic retinopathy, right eye
E09.3552	Drug or chemical induced diabetes mellitus with stable proliferative diabetic retinopathy, left eye
E09.3553	Drug or chemical induced diabetes mellitus with stable proliferative diabetic retinopathy, bilateral
E09.3591	Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy without macular edema, right eye
E09.3592	Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy without macular edema, left eye
E09.3593	Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy without macular edema, bilateral
E09.37X1	Drug or chemical induced diabetes mellitus with diabetic macular edema, resolved following treatment, right eye
E09.37X2	Drug or chemical induced diabetes mellitus with diabetic macular edema, resolved following treatment, left eye
E09.37X3	Drug or chemical induced diabetes mellitus with diabetic macular edema, resolved following treatment, bilateral
E10.3211	Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, right eye
E10.3212	Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, left eye
E10.3213	Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, bilateral
E10.3291	Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, right eye

Medical Indications for 92134 – SCODI, retina and 92137 – SCODI, retina, including OCT angiography	
ICD-10-CM Code	Description
E10.3292	Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, left eye
E10.3293	Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, bilateral
E10.3311	Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, right eye
E10.3312	Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, left eye
E10.3313	Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, bilateral
E10.3391	Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, right eye
E10.3392	Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, left eye
E10.3393	Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, bilateral
E10.3411	Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, right eye
E10.3412	Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, left eye
E10.3413	Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, bilateral
E10.3491	Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, right eye
E10.3492	Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, left eye
E10.3493	Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, bilateral
E10.3511	Type 1 diabetes mellitus with proliferative diabetic retinopathy with macular edema, right eye
E10.3512	Type 1 diabetes mellitus with proliferative diabetic retinopathy with macular edema, left eye
E10.3513	Type 1 diabetes mellitus with proliferative diabetic retinopathy with macular edema, bilateral
E10.3521	Type 1 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, right eye
E10.3522	Type 1 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, left eye
E10.3523	Type 1 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, bilateral

Medical Indications for 92134 – SCODI, retina and 92137 – SCODI, retina, including OCT angiography	
ICD-10-CM Code	Description
E10.3531	Type 1 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, right eye
E10.3532	Type 1 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, left eye
E10.3533	Type 1 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, bilateral
E10.3541	Type 1 diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, right eye
E10.3542	Type 1 diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, left eye
E10.3543	Type 1 diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, bilateral
E10.3551	Type 1 diabetes mellitus with stable proliferative diabetic retinopathy, right eye
E10.3552	Type 1 diabetes mellitus with stable proliferative diabetic retinopathy, left eye
E10.3553	Type 1 diabetes mellitus with stable proliferative diabetic retinopathy, bilateral
E10.3591	Type 1 diabetes mellitus with proliferative diabetic retinopathy without macular edema, right eye
E10.3592	Type 1 diabetes mellitus with proliferative diabetic retinopathy without macular edema, left eye
E10.3593	Type 1 diabetes mellitus with proliferative diabetic retinopathy without macular edema, bilateral
E10.37X1	Type 1 diabetes mellitus with diabetic macular edema, resolved following treatment, right eye
E10.37X2	Type 1 diabetes mellitus with diabetic macular edema, resolved following treatment, left eye
E10.37X3	Type 1 diabetes mellitus with diabetic macular edema, resolved following treatment, bilateral
E11.3211	Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, right eye
E11.3212	Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, left eye
E11.3213	Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, bilateral
E11.3291	Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, right eye
E11.3292	Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, left eye

Medical Indications for 92134 – SCODI, retina and 92137 – SCODI, retina, including OCT angiography	
ICD-10-CM Code	Description
E11.3293	Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, bilateral
E11.3311	Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, right eye
E11.3312	Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, left eye
E11.3313	Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, bilateral
E11.3391	Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, right eye
E11.3392	Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, left eye
E11.3393	Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, bilateral
E11.3411	Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, right eye
E11.3412	Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, left eye
E11.3413	Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, bilateral
E11.3491	Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, right eye
E11.3492	Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, left eye
E11.3493	Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, bilateral
E11.3511	Type 2 diabetes mellitus with proliferative diabetic retinopathy with macular edema, right eye
E11.3512	Type 2 diabetes mellitus with proliferative diabetic retinopathy with macular edema, left eye
E11.3513	Type 2 diabetes mellitus with proliferative diabetic retinopathy with macular edema, bilateral
E11.3521	Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, right eye
E11.3522	Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, left eye
E11.3523	Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, bilateral
E11.3531	Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, right eye

Medical Indications for 92134 – SCODI, retina and 92137 – SCODI, retina, including OCT angiography	
ICD-10-CM Code	Description
E11.3532	Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, left eye
E11.3533	Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, bilateral
E11.3541	Type 2 diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, right eye
E11.3542	Type 2 diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, left eye
E11.3543	Type 2 diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, bilateral
E11.3551	Type 2 diabetes mellitus with stable proliferative diabetic retinopathy, right eye
E11.3552	Type 2 diabetes mellitus with stable proliferative diabetic retinopathy, left eye
E11.3553	Type 2 diabetes mellitus with stable proliferative diabetic retinopathy, bilateral
E11.3591	Type 2 diabetes mellitus with proliferative diabetic retinopathy without macular edema, right eye
E11.3592	Type 2 diabetes mellitus with proliferative diabetic retinopathy without macular edema, left eye
E11.3593	Type 2 diabetes mellitus with proliferative diabetic retinopathy without macular edema, bilateral
E11.37X1	Type 2 diabetes mellitus with diabetic macular edema, resolved following treatment, right eye
E11.37X2	Type 2 diabetes mellitus with diabetic macular edema, resolved following treatment, left eye
E11.37X3	Type 2 diabetes mellitus with diabetic macular edema, resolved following treatment, bilateral
E13.3211	Other specified diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, right eye
E13.3212	Other specified diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, left eye
E13.3213	Other specified diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, bilateral
E13.3291	Other specified diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, right eye
E13.3292	Other specified diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, left eye
E13.3293	Other specified diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, bilateral

Medical Indications for 92134 – SCODI, retina and 92137 – SCODI, retina, including OCT angiography	
ICD-10-CM Code	Description
E13.3311	Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, right eye
E13.3312	Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, left eye
E13.3313	Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, bilateral
E13.3391	Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, right eye
E13.3392	Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, left eye
E13.3393	Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, bilateral
E13.3411	Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, right eye
E13.3412	Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, left eye
E13.3413	Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, bilateral
E13.3491	Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, right eye
E13.3492	Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, left eye
E13.3493	Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, bilateral
E13.3511	Other specified diabetes mellitus with proliferative diabetic retinopathy with macular edema, right eye
E13.3512	Other specified diabetes mellitus with proliferative diabetic retinopathy with macular edema, left eye
E13.3513	Other specified diabetes mellitus with proliferative diabetic retinopathy with macular edema, bilateral
E13.3521	Other specified diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, right eye
E13.3522	Other specified diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, left eye
E13.3523	Other specified diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, bilateral
E13.3531	Other specified diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, right eye
E13.3532	Other specified diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, left eye

Medical Indications for 92134 – SCODI, retina and 92137 – SCODI, retina, including OCT angiography	
ICD-10-CM Code	Description
E13.3533	Other specified diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, bilateral
E13.3541	Other specified diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, right eye
E13.3542	Other specified diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, left eye
E13.3543	Other specified diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, bilateral
E13.3551	Other specified diabetes mellitus with stable proliferative diabetic retinopathy, right eye
E13.3552	Other specified diabetes mellitus with stable proliferative diabetic retinopathy, left eye
E13.3553	Other specified diabetes mellitus with stable proliferative diabetic retinopathy, bilateral
E13.3591	Other specified diabetes mellitus with proliferative diabetic retinopathy without macular edema, right eye
E13.3592	Other specified diabetes mellitus with proliferative diabetic retinopathy without macular edema, left eye
E13.3593	Other specified diabetes mellitus with proliferative diabetic retinopathy without macular edema, bilateral
E13.37X1	Other specified diabetes mellitus with diabetic macular edema, resolved following treatment, right eye
E13.37X2	Other specified diabetes mellitus with diabetic macular edema, resolved following treatment, left eye
E13.37X3	Other specified diabetes mellitus with diabetic macular edema, resolved following treatment, bilateral
G45.3	Amaurosis fugax
H05.011	Cellulitis of right orbit
H05.012	Cellulitis of left orbit
H05.013	Cellulitis of bilateral orbits
H05.021	Osteomyelitis of right orbit
H05.022	Osteomyelitis of left orbit
H05.023	Osteomyelitis of bilateral orbits
H05.031	Periostitis of right orbit
H05.032	Periostitis of left orbit
H05.033	Periostitis of bilateral orbits

Medical Indications for 92134 – SCODI, retina and 92137 – SCODI, retina, including OCT angiography	
ICD-10-CM Code	Description
H05.041	Tenonitis of right orbit
H05.042	Tenonitis of left orbit
H05.043	Tenonitis of bilateral orbits
H05.111	Granuloma of right orbit
H05.112	Granuloma of left orbit
H05.113	Granuloma of bilateral orbits
H05.121	Orbital myositis, right orbit
H05.122	Orbital myositis, left orbit
H05.123	Orbital myositis, bilateral
H05.211	Displacement (lateral) of globe, right eye
H05.212	Displacement (lateral) of globe, left eye
H05.213	Displacement (lateral) of globe, bilateral
H05.221	Edema of right orbit
H05.222	Edema of left orbit
H05.223	Edema of bilateral orbit
H05.231	Hemorrhage of right orbit
H05.232	Hemorrhage of left orbit
H05.233	Hemorrhage of bilateral orbit
H05.241	Constant exophthalmos, right eye
H05.242	Constant exophthalmos, left eye
H05.243	Constant exophthalmos, bilateral
H05.251	Intermittent exophthalmos, right eye
H05.252	Intermittent exophthalmos, left eye
H05.253	Intermittent exophthalmos, bilateral
H05.261	Pulsating exophthalmos, right eye
H05.262	Pulsating exophthalmos, left eye
H05.263	Pulsating exophthalmos, bilateral
H05.311	Atrophy of right orbit
H05.312	Atrophy of left orbit
H05.313	Atrophy of bilateral orbit
H05.321	Deformity of right orbit due to bone disease
H05.322	Deformity of left orbit due to bone disease
H05.323	Deformity of bilateral orbits due to bone disease
H05.331	Deformity of right orbit due to trauma or surgery
H05.332	Deformity of left orbit due to trauma or surgery
H05.333	Deformity of bilateral orbits due to trauma or surgery
H05.341	Enlargement of right orbit
H05.342	Enlargement of left orbit
H05.343	Enlargement of bilateral orbits
H05.351	Exostosis of right orbit
H05.352	Exostosis of left orbit

Medical Indications for 92134 – SCODI, retina and 92137 – SCODI, retina, including OCT angiography	
ICD-10-CM Code	Description
H05.353	Exostosis of bilateral orbits
H05.411	Enophthalmos due to atrophy of orbital tissue, right eye
H05.412	Enophthalmos due to atrophy of orbital tissue, left eye
H05.413	Enophthalmos due to atrophy of orbital tissue, bilateral
H05.421	Enophthalmos due to trauma or surgery, right eye
H05.422	Enophthalmos due to trauma or surgery, left eye
H05.423	Enophthalmos due to trauma or surgery, bilateral
H05.51	Retained (old) foreign body following penetrating wound of right orbit
H05.52	Retained (old) foreign body following penetrating wound of left orbit
H05.53	Retained (old) foreign body following penetrating wound of bilateral orbits
H05.811	Cyst of right orbit
H05.812	Cyst of left orbit
H05.813	Cyst of bilateral orbits
H15.821	Localized anterior staphyloma, right eye
H15.822	Localized anterior staphyloma, left eye
H15.823	Localized anterior staphyloma, bilateral
H15.831	Staphyloma posticum, right eye
H15.832	Staphyloma posticum, left eye
H15.833	Staphyloma posticum, bilateral
H15.841	Scleral ectasia, right eye
H15.842	Scleral ectasia, left eye
H15.843	Scleral ectasia, bilateral
H15.851	Ring staphyloma, right eye
H15.852	Ring staphyloma, left eye
H15.853	Ring staphyloma, bilateral
H30.011	Focal chorioretinal inflammation, juxtapapillary, right eye
H30.012	Focal chorioretinal inflammation, juxtapapillary, left eye
H30.013	Focal chorioretinal inflammation, juxtapapillary, bilateral
H30.021	Focal chorioretinal inflammation of posterior pole, right eye
H30.022	Focal chorioretinal inflammation of posterior pole, left eye
H30.023	Focal chorioretinal inflammation of posterior pole, bilateral
H30.031	Focal chorioretinal inflammation, peripheral, right eye
H30.032	Focal chorioretinal inflammation, peripheral, left eye
H30.033	Focal chorioretinal inflammation, peripheral, bilateral
H30.041	Focal chorioretinal inflammation, macular or paramacular, right eye
H30.042	Focal chorioretinal inflammation, macular or paramacular, left eye
H30.043	Focal chorioretinal inflammation, macular or paramacular, bilateral
H30.101	Unspecified disseminated chorioretinal inflammation, right eye
H30.102	Unspecified disseminated chorioretinal inflammation, left eye
H30.103	Unspecified disseminated chorioretinal inflammation, bilateral
H30.111	Disseminated chorioretinal inflammation of posterior pole, right eye

Medical Indications for 92134 – SCODI, retina and 92137 – SCODI, retina, including OCT angiography	
ICD-10-CM Code	Description
H30.112	Disseminated chorioretinal inflammation of posterior pole, left eye
H30.113	Disseminated chorioretinal inflammation of posterior pole, bilateral
H30.121	Disseminated chorioretinal inflammation, peripheral right eye
H30.122	Disseminated chorioretinal inflammation, peripheral, left eye
H30.123	Disseminated chorioretinal inflammation, peripheral, bilateral
H30.131	Disseminated chorioretinal inflammation, generalized, right eye
H30.132	Disseminated chorioretinal inflammation, generalized, left eye
H30.133	Disseminated chorioretinal inflammation, generalized, bilateral
H30.141	Acute posterior multifocal placoid pigment epitheliopathy, right eye
H30.142	Acute posterior multifocal placoid pigment epitheliopathy, left eye
H30.143	Acute posterior multifocal placoid pigment epitheliopathy, bilateral
H30.21	Posterior cyclitis, right eye
H30.22	Posterior cyclitis, left eye
H30.23	Posterior cyclitis, bilateral
H30.811	Harada's disease, right eye
H30.812	Harada's disease, left eye
H30.813	Harada's disease, bilateral
H31.011	Macula scars of posterior pole (post inflammatory) (post-traumatic), right eye
H31.012	Macula scars of posterior pole (post inflammatory) (post-traumatic), left eye
H31.013	Macula scars of posterior pole (post inflammatory) (post-traumatic), bilateral
H31.021	Solar retinopathy, right eye
H31.022	Solar retinopathy, left eye
H31.023	Solar retinopathy, bilateral
H31.111	Age-related choroidal atrophy, right eye
H31.112	Age-related choroidal atrophy, left eye
H31.113	Age-related choroidal atrophy, bilateral
H31.121	Diffuse secondary atrophy of choroid, right eye
H31.122	Diffuse secondary atrophy of choroid, left eye
H31.123	Diffuse secondary atrophy of choroid, bilateral
H31.20	Hereditary choroidal dystrophy, unspecified
H31.21	Choroideremia
H31.22	Choroidal dystrophy (central areolar) (generalized) (peripapillary)
H31.23	Gyrate atrophy, choroid
H31.321	Choroidal rupture, right eye
H31.322	Choroidal rupture, left eye
H31.323	Choroidal rupture, bilateral
H31.411	Hemorrhagic choroidal detachment, right eye
H31.412	Hemorrhagic choroidal detachment, left eye
H31.413	Hemorrhagic choroidal detachment, bilateral
H31.421	Serous choroidal detachment, right eye
H31.422	Serous choroidal detachment, left eye

Medical Indications for 92134 – SCODI, retina and 92137 – SCODI, retina, including OCT angiography	
ICD-10-CM Code	Description
H31.423	Serous choroidal detachment, bilateral
H32.	Chorioretinal disorders in diseases classified elsewhere
H33.011	Retinal detachment with single break, right eye
H33.012	Retinal detachment with single break, left eye
H33.013	Retinal detachment with single break, bilateral
H33.021	Retinal detachment with multiple breaks, right eye
H33.022	Retinal detachment with multiple breaks, left eye
H33.023	Retinal detachment with multiple breaks, bilateral
H33.031	Retinal detachment with giant retinal tear, right eye
H33.032	Retinal detachment with giant retinal tear, left eye
H33.033	Retinal detachment with giant retinal tear, bilateral
H33.041	Retinal detachment with retinal dialysis, right eye
H33.042	Retinal detachment with retinal dialysis, left eye
H33.043	Retinal detachment with retinal dialysis, bilateral
H33.051	Total retinal detachment, right eye
H33.052	Total retinal detachment, left eye
H33.053	Total retinal detachment, bilateral
H33.111	Cyst of ora serrata right eye
H33.112	Cyst of ora serrata left eye
H33.113	Cyst of ora serrata bilateral
H33.191	Other retinoschisis and retinal cysts, right eye
H33.192	Other retinoschisis and retinal cysts, left eye
H33.193	Other retinoschisis and retinal cysts, bilateral
H33.21	Serous retinal detachment, right eye
H33.22	Serous retinal detachment, left eye
H33.23	Serous retinal detachment, bilateral
H33.311	Horseshoe tear of retina without detachment, right eye
H33.312	Horseshoe tear of retina without detachment, left eye
H33.313	Horseshoe tear of retina without detachment, bilateral
H33.321	Round hole, right eye
H33.322	Round hole, left eye
H33.323	Round hole, bilateral
H33.331	Multiple defects of retina without detachment, right eye
H33.332	Multiple defects of retina without detachment, left eye
H33.333	Multiple defects of retina without detachment, bilateral
H33.41	Traction detachment of retina, right eye
H33.42	Traction detachment of retina, left eye
H33.43	Traction detachment of retina, bilateral
H34.01	Transient retinal artery occlusion, right eye
H34.02	Transient retinal artery occlusion, left eye
H34.03	Transient retinal artery occlusion, bilateral

Medical Indications for 92134 – SCODI, retina and 92137 – SCODI, retina, including OCT angiography	
ICD-10-CM Code	Description
H34.11	Central retinal artery occlusion, right eye
H34.12	Central retinal artery occlusion, left eye
H34.13	Central retinal artery occlusion, bilateral
H34.211	Partial retinal artery occlusion, right eye
H34.212	Partial retinal artery occlusion, left eye
H34.213	Partial retinal artery occlusion, bilateral
H34.231	Retinal artery branch occlusion, right eye
H34.232	Retinal artery branch occlusion, left eye
H34.233	Retinal artery branch occlusion, bilateral
H34.8110	Central retinal vein occlusion, right eye, with macular edema
H34.8111	Central retinal vein occlusion, right eye, with retinal neovascularization
H34.8112	Central retinal vein occlusion, right eye, stable
H34.8120	Central retinal vein occlusion, left eye, with macular edema
H34.8121	Central retinal vein occlusion, left eye with retinal neovascularization
H34.8122	Central retinal vein occlusion, left eye, stable
H34.8130	Central retinal vein occlusion, bilateral, with macular edema
H34.8131	Central retinal vein occlusion, bilateral, with retinal neovascularization
H34.8132	Central retinal vein occlusion, bilateral, stable
H34.821	Venous engorgement, right eye
H34.822	Venous engorgement, left eye
H34.823	Venous engorgement, bilateral
H34.8310	Tributary (branch) retinal vein occlusion, right eye, with macular edema
H34.8311	Tributary (branch) retinal vein occlusion, right eye, with retinal neovascularization
H34.8312	Tributary (branch) retinal vein occlusion, right eye, stable
H34.8320	Tributary (branch) retinal vein occlusion, left eye, with macular edema
H34.8321	Tributary (branch) retinal vein occlusion, left eye, with retinal neovascularization
H34.8322	Tributary (branch) retinal vein occlusion, left eye, stable
H34.8330	Tributary (branch) retinal vein occlusion, bilateral, with macular edema
H34.8331	Tributary (branch) retinal vein occlusion, bilateral, with retinal neovascularization
H34.8332	Tributary (branch) retinal vein occlusion, bilateral, stable
H35.011	Changes in retinal vascular appearance, right eye
H35.012	Changes in retinal vascular appearance, left eye
H35.013	Changes in retinal vascular appearance, bilateral
H35.021	Exudative retinopathy, right eye
H35.022	Exudative retinopathy, left eye
H35.023	Exudative retinopathy, bilateral
H35.031	Hypertensive retinopathy, right eye
H35.032	Hypertensive retinopathy, left eye

Medical Indications for 92134 – SCODI, retina and 92137 – SCODI, retina, including OCT angiography	
ICD-10-CM Code	Description
H35.033	Hypertensive retinopathy, bilateral
H35.041	Retinal micro-aneurysms, unspecified, right eye
H35.042	Retinal micro-aneurysms, unspecified, left eye
H35.043	Retinal micro-aneurysms, unspecified, bilateral
H35.051	Retinal neovascularization, unspecified, right eye
H35.052	Retinal neovascularization, unspecified, left eye
H35.053	Retinal neovascularization, unspecified, bilateral
H35.061	Retinal vasculitis, right eye
H35.062	Retinal vasculitis, left eye
H35.063	Retinal vasculitis, bilateral
H35.071	Retinal telangiectasis, right eye
H35.072	Retinal telangiectasis, left eye
H35.073	Retinal telangiectasis, bilateral
H35.21	Other non-diabetic proliferative retinopathy right eye
H35.22	Other non-diabetic proliferative retinopathy left eye
H35.23	Other non-diabetic proliferative retinopathy bilateral
H35.3111	Nonexudative age-related macular degeneration, right eye, early dry stage
H35.3112	Nonexudative age-related macular degeneration, right eye, intermediate dry stage
H35.3113	Nonexudative age-related macular degeneration, right eye, advanced atrophic without subfoveal involvement
H35.3114	Nonexudative age-related macular degeneration, right eye, advanced atrophic with subfoveal involvement
H35.3121	Nonexudative age-related macular degeneration, left eye, early dry stage
H35.3122	Nonexudative age-related macular degeneration, left eye, intermediate dry stage
H35.3123	Nonexudative age-related macular degeneration, left eye, advanced atrophic without subfoveal involvement
H35.3124	Nonexudative age-related macular degeneration, left eye, advanced atrophic with subfoveal involvement
H35.3131	Nonexudative age-related macular degeneration, bilateral, early dry stage
H35.3132	Nonexudative age-related macular degeneration, bilateral, intermediate dry stage
H35.3133	Nonexudative age-related macular degeneration, bilateral, advanced atrophic without subfoveal involvement
H35.3134	Nonexudative age-related macular degeneration, bilateral, advanced atrophic with subfoveal involvement
H35.3211	Exudative age-related macular degeneration, right eye with active choroidal neovascularization
H35.3212	Exudative age-related macular degeneration, right eye, with inactive choroidal neovascularization

Medical Indications for 92134 – SCODI, retina and 92137 – SCODI, retina, including OCT angiography	
ICD-10-CM Code	Description
H35.3213	Exudative age-related macular degeneration, right eye, with inactive scar
H35.3221	Exudative age-related macular degeneration, left eye with active choroidal neovascularization
H35.3222	Exudative age-related macular degeneration, left eye, with inactive choroidal neovascularization
H35.3223	Exudative age-related macular degeneration, left eye, with inactive scar
H35.3231	Exudative age-related macular degeneration, bilateral, with active choroidal neovascularization
H35.3232	Exudative age-related macular degeneration, bilateral, with inactive choroidal neovascularization
H35.3233	Exudative age-related macular degeneration, bilateral, with inactive scar
H35.33	Angioid streaks of macula
H35.341	Macular cyst, hole, or pseudohole, right eye
H35.342	Macular cyst, hole, or pseudohole, left eye
H35.343	Macular cyst, hole, or pseudohole, bilateral
H35.351	Cystoid macular degeneration, right eye
H35.352	Cystoid macular degeneration, left eye
H35.353	Cystoid macular degeneration, bilateral
H35.361	Drusen (degenerative) of macula, right eye
H35.362	Drusen (degenerative) of macula, left eye
H35.363	Drusen (degenerative) of macula, bilateral
H35.371	Puckering of macula, right eye
H35.372	Puckering of macula, left eye
H35.373	Puckering of macula, bilateral
H35.381	Toxic maculopathy, right eye
H35.382	Toxic maculopathy, left eye
H35.383	Toxic maculopathy, bilateral
H35.411	Lattice degeneration of retina, right eye
H35.412	Lattice degeneration of retina, left eye
H35.413	Lattice degeneration of retina, bilateral
H35.421	Microcystoid degeneration of retina, right eye
H35.422	Microcystoid degeneration of retina, left eye
H35.423	Microcystoid degeneration of retina, bilateral
H35.431	Paving stone degeneration of retina, right eye
H35.432	Paving stone degeneration of retina, left eye
H35.433	Paving stone degeneration of retina, bilateral
H35.441	Age-related reticular degeneration of retina, right eye
H35.442	Age-related reticular degeneration of retina, left eye
H35.443	Age-related reticular degeneration of retina, bilateral
H35.451	Secondary pigmentary degeneration, right eye
H35.452	Secondary pigmentary degeneration, left eye

Medical Indications for 92134 – SCODI, retina and 92137 – SCODI, retina, including OCT angiography	
ICD-10-CM Code	Description
H35.453	Secondary pigmentary degeneration, bilateral
H35.461	Secondary vitreoretinal degeneration, right eye
H35.462	Secondary vitreoretinal degeneration, left eye
H35.463	Secondary vitreoretinal degeneration, bilateral
H35.51	Vitreoretinal dystrophy
H35.52	Pigmentary retinal dystrophy
H35.53	Other dystrophies primarily involving the sensory retina
H35.54	Dystrophies primarily involving the retinal pigment epithelium
H35.61	Retinal hemorrhage, right eye
H35.62	Retinal hemorrhage, left eye
H35.63	Retinal hemorrhage, bilateral
H35.711	Central serous chorioretinopathy, right eye
H35.712	Central serous chorioretinopathy, left eye
H35.713	Central serous chorioretinopathy, bilateral
H35.721	Serous detachment of retinal pigment epithelium, right eye
H35.722	Serous detachment of retinal pigment epithelium, left eye
H35.723	Serous detachment of retinal pigment epithelium, bilateral
H35.731	Hemorrhagic detachment of retinal pigment epithelium, right eye
H35.732	Hemorrhagic detachment of retinal pigment epithelium, left eye
H35.733	Hemorrhagic detachment of retinal pigment epithelium, bilateral
H35.81	Retinal edema
H35.82	Retinal ischemia
H36.811	Nonproliferative sickle-cell retinopathy, right eye
H36.812	Nonproliferative sickle-cell retinopathy, left eye
H36.813	Nonproliferative sickle-cell retinopathy, bilateral
H36.821	Proliferative sickle-cell retinopathy, right eye
H36.822	Proliferative sickle-cell retinopathy, left eye
H36.823	Proliferative sickle-cell retinopathy, bilateral
H43.01	Vitreous prolapse, right eye
H43.02	Vitreous prolapse, left eye
H43.03	Vitreous prolapse, bilateral
H43.11	Vitreous hemorrhage, right eye
H43.12	Vitreous hemorrhage, left eye
H43.13	Vitreous hemorrhage, bilateral
H43.21	Crystalline deposits in vitreous body, right eye
H43.22	Crystalline deposits in vitreous body, left eye
H43.23	Crystalline deposits in vitreous body, bilateral
H43.821	Vitreomacular adhesion, right eye
H43.822	Vitreomacular adhesion, left eye
H43.823	Vitreomacular adhesion, bilateral
H44.131	Sympathetic uveitis, right eye

Medical Indications for 92134 – SCODI, retina and 92137 – SCODI, retina, including OCT angiography	
ICD-10-CM Code	Description
H44.132	Sympathetic uveitis, left eye
H44.133	Sympathetic uveitis, bilateral
H44.21	Degenerative myopia, right eye
H44.22	Degenerative myopia, left eye
H44.23	Degenerative myopia, bilateral
H44.2A1	Degenerative myopia with choroidal neovascularization, right eye
H44.2A2	Degenerative myopia with choroidal neovascularization, left eye
H44.2A3	Degenerative myopia with choroidal neovascularization, bilateral
H44.2B1	Degenerative myopia with macular hole, right eye
H44.2B2	Degenerative myopia with macular hole, left eye
H44.2B3	Degenerative myopia with macular hole, bilateral
H44.2C1	Degenerative myopia with retinal detachment, right eye
H44.2C2	Degenerative myopia with retinal detachment, left eye
H44.2C3	Degenerative myopia with retinal detachment, bilateral
H44.2D1	Degenerative myopia with foveoschisis, right eye
H44.2D2	Degenerative myopia with foveoschisis, left eye
H44.2D3	Degenerative myopia with foveoschisis, bilateral
H44.2E1	Degenerative myopia with other maculopathy, right eye
H44.2E2	Degenerative myopia with other maculopathy, left eye
H44.2E3	Degenerative myopia with other maculopathy, bilateral
H44.411	Flat anterior chamber hypotony of right eye
H44.412	Flat anterior chamber hypotony of left eye
H44.413	Flat anterior chamber hypotony, bilateral
H44.421	Hypotony of right eye due to ocular fistula
H44.422	Hypotony of left eye due to ocular fistula
H44.423	Hypotony of bilateral eyes due to ocular fistula
H44.431	Hypotony of right eye due to other ocular disorders
H44.432	Hypotony of left eye due to other ocular disorders
H44.433	Hypotony of bilateral eyes due to other ocular disorders
H44.441	Primary hypotony of right eye
H44.442	Primary hypotony of left eye
H44.443	Primary hypotony of eye, bilateral
H53.411	Scotoma involving central area, right eye
H53.412	Scotoma involving central area, left eye
H53.413	Scotoma involving central area, bilateral
H53.421	Scotoma of blind spot area, right eye
H53.422	Scotoma of blind spot area, left eye
H53.423	Scotoma of blind spot area, bilateral
H53.431	Sector or arcuate defects, right eye

Medical Indications for 92134 – SCODI, retina and 92137 – SCODI, retina, including OCT angiography	
ICD-10-CM Code	Description
H53.432	Sector or arcuate defects, left eye
H53.433	Sector or arcuate defects, bilateral
H53.451	Other localized visual field defect, right eye
H53.452	Other localized visual field defect, left eye
H53.453	Other localized visual field defect, bilateral
H53.461	Homonymous bilateral field defects, right side
H53.462	Homonymous bilateral field defects, left side
H53.47	Heteronymous bilateral field defects
H53.481	Generalized contraction of visual field, right eye
H53.482	Generalized contraction of visual field, left eye
H53.483	Generalized contraction of visual field, bilateral
H59.031	Cystoid macular edema following cataract surgery, right eye
H59.032	Cystoid macular edema following cataract surgery, left eye
H59.033	Cystoid macular edema following cataract surgery, bilateral
M06.00- M06.9 ¹	Rheumatoid arthritis without rheumatoid factor, unspecified site – Rheumatoid arthritis, unspecified
M32.0 – M32.9 ¹	Drug-induced systemic lupus erythematosus – Systemic lupus erythematosus, unspecified
Q14.8	Other congenital malformations of posterior segment of eye
Q14.9	Congenital malformation of posterior segment of eye unspecified
S05.11XA	Contusion of eyeball and orbital tissues, right eye, initial encounter
S05.11XD	Contusion of eyeball and orbital tissues, right eye, subsequent encounter
S05.11XS	Contusion of eyeball and orbital tissues, right eye, sequela
S05.12XA	Contusion of eyeball and orbital tissues, left eye, initial encounter
S05.12XD	Contusion of eyeball and orbital tissues, left eye, subsequent encounter
S05.12XS	Contusion of eyeball and orbital tissues, left eye, sequela
Z03.89 ²	Encounter for observation for other suspected diseases and conditions ruled out
Z09. ²	Encounter for follow-up examination after completed treatment for conditions other than malignant neoplasm
Z79.899 ²	Other long term (current) drug therapy

Reviews, Revisions, and Approvals	Date	Approval Date
Annual Review	12/2019	12/2019
Converted to new template; Minor wording changes for clarity	04/2020	06/2020

¹ Must be submitted with Z03.89, Z09 or Z79.899.

² Must be used in conjunction with the appropriate systemic disease diagnosis.

Reviews, Revisions, and Approvals	Date	Approval Date
Annual Review; Added applicable CPT® Codes; Updated references	12/2020	01/2021
Annual Review, Updated References	12/2021	01/2022
Removed vitreous membranes, strands and degeneration from medical indications for posterior segment, retina, 92134 – SCODI.	09/2022	10/2022
Annual Review	11/2022	12/2022
Updated medically indicated diagnoses for posterior segment, retina 92134 – SCODI to include new ICD-10 codes for sickle-cell retinopathy.	11/2023	12/2023
Updated medically indicated diagnoses for posterior segment, optic nerve 92133 – SCODI to include primary optic atrophy.	06/2024	07/2024
Updated medically indicated diagnoses for posterior segment, retina 92134 – SCODI to include additional ICD-10 codes related to retinal holes, breaks and visual field defects.	09/2024	10/2024
Annual Review	11/2024	12/2024
Added 92137 – posterior retinal SCODI including OCT angiography; Revised CPT descriptors of 92132, 92133 and 92134; Removed vitreous membranes, strands and degeneration from medical indications for posterior retina, 92134 – SCODI.	05/2025	07/2025
Updated coding to include newly published ICD-10 codes for neovascular secondary angle closure glaucoma and thyroid orbitopathy; Updated References.	08/2025	10/2025

References

1. American Academy of Ophthalmology, Preferred Practice Pattern® Guidelines, Primary Open-Angle Glaucoma, San Francisco, CA, American Academy of Ophthalmology, 2020, <https://www.aao.org/preferred-practice-pattern/primary-open-angle-glaucoma-ppp>
2. American Academy of Ophthalmology, Preferred Practice Pattern® Guidelines, Primary Open-Angle Glaucoma Suspect, San Francisco, CA, American Academy of Ophthalmology, 2020, <https://www.aao.org/preferred-practice-pattern/primary-open-angle-glaucoma-suspect-ppp>
3. American Academy of Ophthalmology, Preferred Practice Pattern® Guidelines, Primary Angle-Closure Disease, San Francisco, CA, American Academy of Ophthalmology, 2020, <https://www.aao.org/preferred-practice-pattern/primary-angle-closure-disease-ppp>
4. American Academy of Ophthalmology Retina Panel. Preferred Practice Pattern® Guidelines. Age-Related Macular Degeneration. San Francisco, CA: American Academy of Ophthalmology; 2024, <https://www.aao.org/preferred-practice-pattern/age-related-macular-degeneration-ppp>
5. American Academy of Ophthalmology (AAO) Retina/Vitreous Panel, Preferred Practice Pattern® Guidelines, Diabetic Retinopathy, San Francisco, CA, American Academy of Ophthalmology, 2024, <https://www.aao.org/preferred-practice-pattern/diabetic-retinopathy-ppp>
6. American Optometric Association (AOA) Evidence-Based Optometry Guidelines Development Group, Eye Care of the Patient with Diabetes Mellitus, Second Edition, St. Louis, MO, American Optometric Association, 2019,

<https://www.aoa.org/optometrists/tools-and-resources/clinical-care-publications/clinical-practice-guidelines>

7. Gabriele ML, Wollstein G, Ishikawa H, et al. Optical coherence tomography: history, current status, and laboratory work. *Invest Ophthalmol Vis Sci*. 2011;52(5):2425-2436. Published 2011 Apr 14.
8. Keane PA, Ruiz-Garcia H, Sadda SR. Clinical applications of long-wavelength (1,000-nm) optical coherence tomography. *Ophthalmic Surg Lasers Imaging*. 2011 Jul;42 Suppl:S67-74.
9. Batioğlu F, Yanık Ö, Demirel S, Özmert E. Clinical Use of Optical Coherence Tomography Angiography in Retinal Diseases. *Diagnostics (Basel)*. 2023 May 22;13(10):1820. doi: 10.3390/diagnostics13101820. PMID: 37238303; PMCID: PMC10217329.

Important Reminder

This clinical policy has been developed by appropriately experienced and licensed health care professionals based on a review and consideration of currently available generally accepted standards of medical practice; peer-reviewed medical literature; government agency/program approval status; evidence-based guidelines and positions of leading national health professional organizations; views of physicians practicing in relevant clinical areas affected by this clinical policy; and other available clinical information. The Health Plan makes no representations and accepts no liability with respect to the content of any external information used or relied upon in developing this clinical policy. This clinical policy is consistent with standards of medical practice current at the time that this clinical policy was approved. “Health Plan” means a health plan that has adopted this clinical policy and that is operated or administered, in whole or in part, by Centene Management Company, LLC, or any of such health plan’s affiliates, as applicable.

The purpose of this clinical policy is to provide a guide to medical necessity, which is a component of the guidelines used to assist in making coverage decisions and administering benefits. It does not constitute a contract or guarantee regarding payment or results. Coverage decisions and the administration of benefits are subject to all terms, conditions, exclusions and limitations of the coverage documents (e.g., evidence of coverage, certificate of coverage, policy, contract of insurance, etc.), as well as to state and federal requirements and applicable Health Plan-level administrative policies and procedures.

This clinical policy is effective as of the date determined by the Health Plan. The date of posting may not be the effective date of this clinical policy. This clinical policy may be subject to applicable legal and regulatory requirements relating to provider notification. If there is a discrepancy between the effective date of this clinical policy and any applicable legal or regulatory requirement, the requirements of law and regulation shall govern. The Health Plan retains the right to change, amend or withdraw this clinical policy, and additional clinical policies may be developed and adopted as needed, at any time.

This clinical policy does not constitute medical advice, medical treatment or medical care. It is not intended to dictate to providers how to practice medicine. Providers are expected to exercise professional medical judgment in providing the most appropriate care, and are solely responsible for the medical advice and treatment of members. This clinical policy is not intended to recommend treatment for members. Members should consult with their treating physician in connection with diagnosis and treatment decisions.

Providers referred to in this clinical policy are independent contractors who exercise independent judgment and over whom the Health Plan has no control or right of control. Providers are not agents or employees of the Health Plan.

This clinical policy is the property of the Health Plan. Unauthorized copying, use, and distribution of this clinical policy or any information contained herein are strictly prohibited. Providers, members and their representatives are bound to the terms and conditions expressed herein through the terms of their contracts. Where no such contract exists, providers, members and their representatives agree to be bound by such terms and conditions by providing services to members and/or submitting claims for payment for such services.

Note: For Medicaid members, when state Medicaid coverage provisions conflict with the coverage provisions in this clinical policy, state Medicaid coverage provisions take precedence. Please refer to the state Medicaid manual for any coverage provisions pertaining to this clinical policy.

Note: For Medicare members, to ensure consistency with the Medicare National Coverage Determinations (NCD) and Local Coverage Determinations (LCD), all applicable NCDs, LCDs, and Medicare Coverage Articles should be reviewed prior to applying the criteria set forth in this clinical policy. Refer to the CMS website at <https://www.cms.gov> for additional information.

©2025 Centene Corporation. All rights reserved. All materials are exclusively owned by Centene Corporation and are protected by United States copyright law and international copyright law. No part of this publication may be reproduced, copied, modified, distributed, displayed, stored in a retrieval system, transmitted in any form or by any means, or otherwise published without the prior written permission of Centene Corporation. You may not alter or remove any trademark, copyright or other notice contained herein. Centene® and Centene Corporation® are registered trademarks exclusively owned by Centene Corporation.

©2025 Envolve, Inc. All rights reserved. All materials are exclusively owned by Envolve and are protected by United States copyright law and international copyright law. No part of this publication may be reproduced, copied, modified, distributed, displayed, stored in a retrieval system, transmitted in any form or by any means, or otherwise published without the prior written permission of Envolve. You may not alter or remove any trademark, copyright or other notice contained herein.