

Clinical Policy: Oveporexton (Orzeyful)

Reference Number: CP.PHAR.810

Effective Date: 12.01.26

Last Review Date: 11.26

Line of Business: Commercial, HIM/ICHRA, Medicaid

[Revision Log](#)

See [Important Reminder](#) at the end of this policy for important regulatory and legal information.

Description

Oveporexton (Orzeyful™) is an orexin receptor 2 agonist.

FDA Approved Indication(s)

Orzeyful is indicated for the treatment of narcolepsy type 1 (narcolepsy with cataplexy) in adult patients.

Policy/Criteria

Provider must submit documentation (such as office chart notes, lab results or other clinical information) supporting that member has met all approval criteria.

It is the policy of health plans affiliated with Centene Corporation® that Orzeyful is **medically necessary** when the following criteria are met:

I. Initial Approval Criteria**A. Narcolepsy with Cataplexy** (must meet all):

1. Diagnosis of narcolepsy with cataplexy;
2. Prescribed by or in consultation with a neurologist or sleep medicine specialist;
3. Age $\geq$ 18 years;
4. Documentation of one of the following (a or b):
 - a. Cataplexy associated with narcolepsy as confirmed by documented multiple sleep latency test (MSLT) and one of the following (i or ii):
 - i. Mean sleep latency $\leq$ 8 minutes with evidence of two or more sleep-onset rapid eye movement periods (SOREMPs);
 - ii. At least one SOREMP on MSLT and a SOREMP (less than 15 minutes) on the preceding overnight polysomnography (PSG);
 - b. Lumbar puncture shows cerebrospinal fluid (CSF) hypocretin-1 level $\leq$ 110 pg/mL;
5. Failure of 2 of the following agents, each used for $\geq$ 1 month, unless member's age is $\geq$ 65, clinically significant adverse effects are experienced, or all are contraindicated: venlafaxine, fluoxetine, atomoxetine, clomipramine*, protriptyline*;[^]
**If member's age is $\geq$ 65 years, tricyclic antidepressants are not required for trial*
[^]For Illinois HIM requests, the step therapy requirements above do not apply per IL HB 5395
6. Dose does not exceed both of the following (a and b):
 - a. 4 mg per day;
 - b. 2 tablets per day.

Approval duration: 12 months

B. Other diagnoses/indications (must meet 1 or 2):

1. If this drug has recently (within the last 6 months) undergone a label change (e.g., newly approved indication, age expansion, new dosing regimen) that is not yet reflected in this policy, refer to one of the following policies (a or b):
 - a. For drugs on the formulary (commercial, health insurance marketplace/ICHRA) or PDL (Medicaid), the no coverage criteria policy for the relevant line of business: CP.CPA.190 for commercial, HIM.PA.33 for health insurance marketplace/ICHRA, and CP.PMN.255 for Medicaid; or
 - b. For drugs NOT on the formulary (commercial, health insurance marketplace/ICHRA) or PDL (Medicaid), the non-formulary policy for the relevant line of business: CP.CPA.190 for commercial, HIM.PA.103 for health insurance marketplace/ICHRA, and CP.PMN.16 for Medicaid; or
2. If the requested use (e.g., diagnosis, age, dosing regimen) is NOT specifically listed under section III (Diagnoses/Indications for which coverage is NOT authorized) AND criterion 1 above does not apply, refer to the off-label use policy for the relevant line of business: CP.CPA.09 for commercial, HIM.PA.154 for health insurance marketplace/ICHRA, and CP.PMN.53 for Medicaid.

II. Continued Therapy

A. Narcolepsy with Cataplexy (must meet all):

1. Member meets one of the following (a or b):
 - a. Currently receiving medication via Centene benefit or member has previously met initial approval criteria;
 - b. Member is currently receiving medication and is enrolled in a state and product with continuity of care regulations (*refer to state specific addendums for CC.PHARM.03A and CC.PHARM.03B*);
2. Member is responding positively to therapy (e.g., reduction in frequency of cataplexy attacks);
3. If request is for a dose increase, new dose does not exceed both of the following (a and b):
 - a. 4 mg per day;
 - b. 2 tablets per day.

Approval duration: 12 months

B. Other diagnoses/indications (must meet 1 or 2):

1. If this drug has recently (within the last 6 months) undergone a label change (e.g., newly approved indication, age expansion, new dosing regimen) that is not yet reflected in this policy, refer to one of the following policies (a or b):
 - a. For drugs on the formulary (commercial, health insurance marketplace/ICHRA) or PDL (Medicaid), the no coverage criteria policy for the relevant line of business: CP.CPA.190 for commercial, HIM.PA.33 for health insurance marketplace/ICHRA, and CP.PMN.255 for Medicaid; or
 - b. For drugs NOT on the formulary (commercial, health insurance marketplace/ICHRA) or PDL (Medicaid), the non-formulary policy for the relevant line of business: CP.CPA.190 for commercial, HIM.PA.103 for health insurance marketplace/ICHRA, and CP.PMN.16 for Medicaid; or

2. If the requested use (e.g., diagnosis, age, dosing regimen) is NOT specifically listed under section III (Diagnoses/Indications for which coverage is NOT authorized) AND criterion 1 above does not apply, refer to the off-label use policy for the relevant line of business: CP.CPA.09 for commercial, HIM.PA.154 for health insurance marketplace/ICHRA, and CP.PMN.53 for Medicaid.

III. Diagnoses/Indications for which coverage is NOT authorized:

- A. Non-FDA approved indications, which are not addressed in this policy, unless there is sufficient documentation of efficacy and safety according to the off label use policies – CP.CPA.09 for commercial, HIM.PA.154 for health insurance marketplace/ICHRA, and CP.PMN.53 for Medicaid or evidence of coverage documents.

IV. Appendices/General Information

Appendix A: Abbreviation/Acronym Key

CSF: cerebrospinal fluid

FDA: Food and Drug Administration

MSLT: multiple sleep latency test

SOREMP: sleep-onset rapid eye movement period

PSG: polysomnography

Appendix B: Therapeutic Alternatives

This table provides a listing of preferred alternative therapy recommended in the approval criteria. The drugs listed here may not be a formulary agent for all relevant lines of business and may require prior authorization.

Drug Name	Dosing Regimen	Dose Limit/ Maximum Dose
venlafaxine (Effexor®)†	75–150 mg PO BID, or 75–150 mg (extended release) PO QAM	375 mg/day* (IR tablets); 225* mg/day (extended release)
fluoxetine (Prozac®)†	20 to 80 mg PO QAM	80 mg/day
clomipramine (Anafranil®)†	10 to 150 mg PO as a single dose every morning or in divided doses	250 mg/day*
protriptyline (Vivactil®)†	5 to 60 mg PO as a single dose every morning or in divided doses	60 mg/day
atomoxetine (Strattera®)†	40–60 mg PO QD	100 mg/day*

Therapeutic alternatives are listed as Brand name® (generic) when the drug is available by brand name only and generic (Brand name®) when the drug is available by both brand and generic.

**Non-indication specific (maximum dose for the drug)*

†Off-label indication

Appendix C: Contraindications/Boxed Warnings

- Contraindication(s): patients taking strong CYP3A inhibitors
- Boxed warning(s): none reported

V. Dosage and Administration

Indication	Dosing Regimen	Maximum Dose
Narcolepsy	Take 1 mg PO after awakening and then take 1 mg three to five hours later OR	4 mg/day

Indication	Dosing Regimen	Maximum Dose
	Take 2 mg PO after awakening and then take 2 mg three to five hours later	

VI. Product Availability

Tablets: 0.5 mg, 1 mg, 2 mg

VII. References

1. Orzeyful Prescribing Information. Cambridge, MA: Takeda Pharmaceuticals America, Inc.; August 2026. Available at: https://www.accessdata.fda.gov/drugsatfda_docs/label/2026/220860Orig1s000lbl.pdf. Accessed August 14, 2026.
2. Morgenthaler TI, Kapur VK, Brown T, et al; Standards of Practice Committee of the American Academy of Sleep Medicine. Practice parameters for the treatment of narcolepsy and other hypersomnias of central origin. *Sleep*. 2007 Dec;30(12):1705-11. doi: 10.1093/sleep/30.12.1705.
3. Maski K, Trotti LM, Kotagal S, et al. Treatment of central disorders of hypersomnolence: an American Academy of Sleep Medicine clinical practice guideline. *J Clin Sleep Med*. 2021 Sep 1;17(9):1881-1893. doi: 10.5664/jcsm.9328.
4. Bassetti CL, Kallweit U, Vignatelli, et al. European guideline and expert statements on the management of narcolepsy in adults and children. *J Sleep Res*. 2021;00:e13387. DOI: 10.1111/jsr.13387.
5. Maski K, Trotti LM, Kotagal S, et al. Treatment of central disorders of hypersomnolence: an American Academy of Sleep Medicine clinical practice guideline. *J Clin Sleep Med*. 2021 Sep 1;17(9):1881-1893. doi: 10.5664/jcsm.9328.
6. Clinical Pharmacology [database online]. Philadelphia, PA: Elsevier; 2026. Available at: <https://www.clinicalkey.com/pharmacology>. Accessed August 14, 2026.

Reviews, Revisions, and Approvals	Date	P&T Approval Date
Policy created	08.14.26	11.26

Important Reminder

This clinical policy has been developed by appropriately experienced and licensed health care professionals based on a review and consideration of currently available generally accepted standards of medical practice; peer-reviewed medical literature; government agency/program approval status; evidence-based guidelines and positions of leading national health professional organizations; views of physicians practicing in relevant clinical areas affected by this clinical policy; and other available clinical information. The Health Plan makes no representations and accepts no liability with respect to the content of any external information used or relied upon in developing this clinical policy. This clinical policy is consistent with standards of medical practice current at the time that this clinical policy was approved. “Health Plan” means a health plan that has adopted this clinical policy and that is operated or administered, in whole or in part, by Centene Management Company, LLC, or any of such health plan’s affiliates, as applicable.

The purpose of this clinical policy is to provide a guide to medical necessity, which is a component of the guidelines used to assist in making coverage decisions and administering benefits. It does not constitute a contract or guarantee regarding payment or results. Coverage decisions and the administration of benefits are subject to all terms, conditions, exclusions and limitations of the coverage documents (e.g., evidence of coverage, certificate of coverage, policy, contract of insurance, etc.), as well as to state and federal requirements and applicable Health Plan-level administrative policies and procedures.

This clinical policy is effective as of the date determined by the Health Plan. The date of posting may not be the effective date of this clinical policy. This clinical policy may be subject to applicable legal and regulatory requirements relating to provider notification. If there is a discrepancy between the effective date of this clinical policy and any applicable legal or regulatory requirement, the requirements of law and regulation shall govern. The Health Plan retains the right to change, amend or withdraw this clinical policy, and additional clinical policies may be developed and adopted as needed, at any time.

This clinical policy does not constitute medical advice, medical treatment or medical care. It is not intended to dictate to providers how to practice medicine. Providers are expected to exercise professional medical judgment in providing the most appropriate care, and are solely responsible for the medical advice and treatment of members. This clinical policy is not intended to recommend treatment for members. Members should consult with their treating physician in connection with diagnosis and treatment decisions.

Providers referred to in this clinical policy are independent contractors who exercise independent judgment and over whom the Health Plan has no control or right of control. Providers are not agents or employees of the Health Plan.

This clinical policy is the property of the Health Plan. Unauthorized copying, use, and distribution of this clinical policy or any information contained herein are strictly prohibited. Providers, members and their representatives are bound to the terms and conditions expressed herein through the terms of their contracts. Where no such contract exists, providers, members and their representatives agree to be bound by such terms and conditions by providing services to members and/or submitting claims for payment for such services.

Note:

For Medicaid members, when state Medicaid coverage provisions conflict with the coverage provisions in this clinical policy, state Medicaid coverage provisions take precedence. Please refer to the state Medicaid manual for any coverage provisions pertaining to this clinical policy.

©2026 Centene Corporation. All rights reserved. All materials are exclusively owned by Centene Corporation and are protected by United States copyright law and international copyright law. No part of this publication may be reproduced, copied, modified, distributed, displayed, stored in a retrieval system, transmitted in any form or by any means, or otherwise published without the prior written permission of Centene Corporation. You may not alter or remove any trademark, copyright or other notice contained herein. Centene[®] and Centene Corporation[®] are registered trademarks exclusively owned by Centene Corporation.